

Автор: ??????????????
31.03.2009 10:25

```
<div class="Section1"> <p>??? ?????????? ?????? ?????????????? ?????????????? ? ??????????
??? ????????? (????????????? ?????????????? ??? ??? ??????)</p> <p>??????????
????????????? ?????????????? ? ?????????, ?????? ?????????, ?????? ?????????? ??????
????????????? ? ?????? ??? ?????? ??????????.</p> <p>?????????
?????? ?????????????? ?????????????? </p> <p>1.<span style="font-family: 'Times New
Roman'; font-style: normal; font-variant: normal; font-weight: normal; font-size: 7pt; line-height:
normal; font-size-adjust: none; font-stretch: normal">????????? </span>? ?????? ?????? ??????
????????? ?????????? ??????????, ?????????? ?????? ?????????????? ?????????????? ? ?????????? ??????
<strong>????????????? ??????????????</strong> ?? ?????????????????? ??????. </p> <p>-???- </p>
<p>?????????? ?????????, ?????????? ?????? ?????????????? ?????????????? ? ?????????????????? ???????,
?????????? ?????????? ?????? ? ?????????????????? ? ?????????????????? ?????????? <strong>?????????????
?????????????????</strong> ?? ?????????????????? ??????. </p> <p>2.<span style="font-family: 'Times
New Roman'; font-style: normal; font-variant: normal; font-weight: normal; font-size: 7pt;
line-height: normal; font-size-adjust: none; font-stretch: normal">????????? </span>?????????
????????? <strong>?????????????</strong>.</p> <table border="0" cellpadding="0"> <tr>
<td><p style="text-align: center" align="center"><strong>?????????????????
</strong></p></td> </tr> <tr> <td><p>?????? ?????????? ?????????????????? ??-??????????,
?????????? ??? ? ?????? <strong>????
?????????????????</strong>.</p></td> </tr> </table>
<p>3.<span style="font-family: 'Times New Roman'; font-style: normal; font-variant: normal;
font-weight: normal; font-size: 7pt; line-height: normal; font-size-adjust: none; font-stretch:
normal">????????? </span>? ?????? <strong>?????????????</strong> ? ?????? ?????????? ?????????????
SQL ??? ?????????????????? ??????????????????. ??????????, ?????? ?????????????????? ?????????? ? ??????????
<span style="font-size: 10pt">state</span> ? ?????????? <span style="font-size:
10pt">authors</span> ???-?????????, ??????????: </p> <table border="0" cellpadding="0"> <tr>
<td><div> <p><a
href="javascript:CopyCode('ctl00_rs1_mainContentContainer_ctl09other');"><span style="color:
blue"></span>????????????? ???</a></p> </div></td> </tr> <tr> <td>state = 'NY'</td>
</tr> </table> <p>4.<span style="font-family: 'Times New Roman'; font-style: normal;
font-variant: normal; font-weight: normal; font-size: 7pt; line-height: normal; font-size-adjust:
none; font-stretch: normal">????????? </span>????????? ?????????? ? ?????????? <span
style="font-size: 10pt">zip </span>?????????, ?????????????? ?? 5 ?????, ??????????: </p> <table
border="0" cellpadding="0"> <tr> <td><div> <p><a
href="javascript:CopyCode('ctl00_rs1_mainContentContainer_ctl10other');"><span style="color:
blue"></span>????????????? ???</a></p> </div></td> </tr> <tr> <td>zip LIKE
'[0-9][0-9][0-9][0-9][0-9]'</td> </tr> <tr> <td colspan="3"><p style="text-align: center"
align="center"><strong>?????????????????
</strong></p></td> </tr> <tr> <td colspan="3"><p>?????????????, ??? ??? ??????????????
????????????????? ?? ?????????????? ?????????????? ? ?????????????? ?????????? (?). </p></td> </tr>
<tr height="0"> <td width="3">????</td> <td width="655">????</td> <td width="3">????</td>
</tr> </table> <p>5.<span style="font-family: 'Times New Roman'; font-style: normal;
```

Автор: ??????????????
31.03.2009 10:25

font-variant: normal; font-weight: normal; font-size: 7pt; line-height: normal; font-size-adjust: none; font-stretch: normal">◆◆◆◆◆ ?????????? ?????????? ?????????????? ???????, ?????? ???????????, ?????? ?????????????? ?????????????? ??????????????. </p> ◆ ????? ?????????? ?????????????? ?????????????? ??? ???????, ?????????? ?????????????? ?? ?????????? ??????????????, ?????????? ??????? ??? ?????????? ??? ?????????? ?????????? ?????????????? ??????????. ????? ?????????????? ?????????????? ??????? ???, ?????? ?????? ?????????????? ?????????? ?????????? ??? ?????????????? ?? ?????? ?????????? ????????? ?????????????????? ??? ??????????????. ?????????????????? ?????????? ?? ? ?????????? ????????????? ??????????????????, ?????????????????????? ? ?????????????? ? ?????????? ?????????????? . ????? ?????????????????? ?????????????????? ??????? ???, ?????? ?????????????????? ?????????????????? ??? ?????????????????? ?????????? ? ?????? ??????????, ?????????? ????????????? ??? INSERT ? UPDATE. <p>1.◆◆◆◆◆ ? ?????? ?????? ?????????? ?????????? ??????????, ?????????? ?????? ?????????????? ?????????????????? ? ?????????? ?????????? ????????????? ?????????????????? ?? ?????????????????? ??????. </p> <p>-???- </p> <p>????????? ??????????, ?????????? ?????? ?????????????? ?????????????????? ? ?????????????????? ?????????, ?????????? ?????????? ?????????? ?????? ? ?????????????????? ? ?????????? ?????? ????????????? ?????????????????? ?? ?????????????????? ??????. </p> <p>2.◆◆◆◆◆ ????????? ?????????? ?????????????.</p> <table border="0" cellpadding="0"> <tr> <td><p style="text-align: center" align="center">?????????????????</p></td> </tr> <tr> <td><p>????? ?????????? ?????????????????? ??-?????????, ?????????? ??? ? ?????? ??? ??????????????????.</p></td> </tr> </table> <p>3.◆◆◆◆◆ ? ???? ????????????? ? ?????? ?????????? ?????????????? SQL ??? ?????????????????? ??????????????????. ??????????, ?????? ?????????????????? ?????????? ? ?????????? state ? ?????????? authors ???-????????, ??????????: </p> <table border="0" cellpadding="0"> <tr> <td><div> <p>????????????? ???</p> </div></td> </tr> <tr> <td>state = 'NY'</td> </tr> </table> <p>4.◆◆◆◆◆ ????? ?????????????????? ?????????? ? ?????????? zip ????????????, ?????????????? ?? 5 ?????, ??????????: </p> <table border="0" cellpadding="0"> <tr> <td><div> <p></p> </div></td> </tr>

Автор: ??????????????
31.03.2009 10:25

/>????????????? ???</p> </div></td> </tr> <tr> <td>zip LIKE
'[0-9][0-9][0-9][0-9][0-9]'</td> </tr> <tr> <td colspan="3"><p style="text-align: center"
align="center">?????????????
</p></td> </tr> <tr> <td colspan="3"><p>?????????????, ??? ??? ??????????????
????????????? ?? ?????????? ?????????? ? ?????????? ?????????? (?). </p></td> </tr>
<tr height="0"> <td width="3">◆</td> <td width="655">◆</td> <td width="3">◆</td>
</tr> </table> <p>5.<span style="font-family: 'Times New Roman'; font-style: normal;
font-variant: normal; font-weight: normal; font-size: 7pt; line-height: normal; font-size-adjust:
none; font-stretch: normal">◆◆◆◆◆ ????????????? ?????????????? ?????????????? ???????,
?????? ?????????????, ?????? ?????????????? ?????????????? ??????????????. </p> ◆
?????? ?????????????? ?????????????? ?????????????? ??? ???????, ?????????? ??????????????????
?? ?????????? ??????????????, ?????????? ??????? ??? ?????????? ??? ??????????
????????????? ?????????????????? ???????. ?????? ?????????????????? ??????????????
????????? ???, ?????? ?????? ?????????????? ?????????????? ?????????? ??? ?????????????? ?? ?????
?????????, ?????????? ??????? ????????????? ?????????????????? ???
?????????????. ?????????????????????? ?????????? ?? ? ?????????? ?????????????
?????????????????, ?????????????????????? ? ?????????????? ? ?????????? ?????????????? .
?????? ?????????????????? ?????????????????? ?????????? ???, ?????? ?????????????? ?????????????? ???
????????????????? ?????????? ? ?????? ??????????, ?????????? ?????????? ????????????? ???
INSERT ? UPDATE. <p style="line-height: 140%;
vertical-align: top"><span style="font-size: 8pt; line-height: 140%; font-family:
'Verdana','sans-serif'; color: black">????????????????? ?????????????????? ?? SQL Server 2008 (????????
2008 ?.)</p> <hr title="????????????? ? ?????????????? ?????????????????? CHECK"
class="system-pagebreak" /><p style="vertical-align: top"><span style="font-size: 15pt;
font-family: 'Arial','sans-serif'; color: black">????????????? ? ?????????????? ??????????????????
CHECK</p> <p style="line-height: 140%; vertical-align: top"><span
style="font-size: 8pt; line-height: 140%; font-family: 'Verdana','sans-serif'; color:
black">????????????????? CHECK ?????? ?????????????? ??? ?????? ?????????????????? ?????????? ??? ??
?????????????. ?????? ?????????? ??? ??????????????, ?????? ?????????????? ?????????????????? CHECK.
????????? ? ?????????? ?????? ?????????????? ?????????????? ?????????????????? CHECK.</p> <p
style="line-height: 140%; vertical-align: top"><span style="font-size: 8pt; line-height: 140%;
font-family: 'Verdana','sans-serif'; color: black">????? ?????????????????? CHECK ??? ?????????????????,
??? ?????? ?????????????? ??? ??????????. ??????????, ?????? ?????????????????? ??????????????????
????????????? ??????????????, ?????????????????? ? ?????????????????? CHECK ??? ?????????? ??????????.
</p> <table border="1" cellpadding="0" width="97%"> <tr> <td valign="bottom"
bgcolor="#efeff7"><p><span style="font-size: 8.5pt; font-family: 'Verdana','sans-serif';
color: #000066">?????????????????
</p></td> </tr> <tr> <td valign="top" bgcolor="#f7f7ff"><p><span
style="font-size: 8.5pt; font-family: 'Verdana','sans-serif'; color: black">?????? ??????????????
????????????????? CHECK, ??????, ??????? ?????? ?????????? ?????????????????? ??????????????????
CHECK ? ?????????????? ?????????? ??? ? ?????? ??????????????????. </p></td> </tr>
</table> <p style="line-height: 140%; vertical-align: top"><span style="font-size: 8pt;
line-height: 140%; font-family: 'Verdana','sans-serif'; color: black">? ?????????????? ??????????

Автор: ??????????????
31.03.2009 10:25

Transact-SQL ?????????? ?????????? ?????????? ? ?????????????? ?????????? ?????? ??????????
 ?????? ?????????????? ?????????????? <span style="font-size: 10pt; line-height: 140%;
 color: black">CHECK<span style="font-size: 8pt; line-height: 140%; font-family:
 'Verdana','sans-serif'; color: black"> ??? ?????????? <span style="font-size: 10pt;
 line-height: 140%; color: black">CreditRating<span style="font-size: 8pt; line-height:
 140%; font-family: 'Verdana','sans-serif'; color: black">.</p> <table border="1"
 cellpadding="0" width="97%"> <tr> <td valign="top" bgcolor="white"><div>
 <p>?????????????
 ???</p> </div></td> </tr> <tr> <td valign="top"
 bgcolor="white">IF OBJECT_ID ('dbo.Vendors', 'U') IS NOT
 NULL DROP TABLE dbo.Vendors; <span
 style="color: black">GO CREATE TABLE dbo.Vendors
 ◆◆◆◆(VendorID int PRIMARY KEY, VendorName
 nvarchar (50), ◆◆◆◆CreditRating tinyint)
 GO ALTER TABLE
 dbo.Vendors ADD CONSTRAINT CK_Vendor_CreditRating <span style="color:
 black">◆◆◆◆ CHECK (CreditRating >= 1 AND CreditRating
 <= 5)</td> </tr> </table> <p style="line-height: 140%; vertical-align: top"><span
 style="font-size: 8pt; line-height: 140%; font-family: 'Verdana','sans-serif'; color: black">?????????
 ?????????????? CHECK ??? ?????????????? ?????????????? ?? ?????????????? ?????????? ?
 ?????????? ??? ??????????, ?????????????? ? ?????????????? ??????????????.</p> <p
 style="line-height: 140%; vertical-align: top"><span style="font-size: 8pt; line-height:
 140%; font-family: 'Verdana','sans-serif'; color: black">??? ?????????? ?????????????? CHECK
 ? ?????????? ?????????? ?????????? </p> <li style="color: black;
 line-height: 140%; vertical-align: top"><span style="font-size: 8pt; line-height: 140%; font-family:
 'Verdana','sans-serif'">CREATE TABLE
 (Transact-SQL) <p style="line-height: 140%; vertical-align:
 top"><span style="font-size: 8pt; line-height: 140%; font-family: 'Verdana','sans-serif';
 color: black">??? ?????????? ?????????????? CHECK ? ?????????????? ??????????
 </p> <li style="color: black; line-height: 140%; vertical-align:
 top">ALTER TABLE
 (Transact-SQL) <li style="color: black; line-height: 140%; vertical-align:
 top">??? ?????????? ??????
 ?????????????? ?????????????? ? ?????????? ??? ?????????? (????????????? ?????????????? ??? ???
 ??????) <p style="line-height: 140%; vertical-align:
 top"><span style="font-size: 8pt; line-height: 140%; font-family: 'Verdana','sans-serif';
 color: black">??? ?????????? ?????????????? CHECK </p> <li
 style="color: black; line-height: 140%; vertical-align: top"><span style="font-size: 8pt;
 line-height: 140%; font-family: 'Verdana','sans-serif'">ALTER TABLE
 (Transact-SQL) <li style="color: black; line-height: 140%; vertical-align:

Автор: ??????????????
31.03.2009 10:25

style="line-height: 140%; vertical-align: top">????????? ???? ?????? ?????????? ?????????? CHECK ??? ?????????? ?????????? ??????????, ????? ???? ?????????? INSERT, ?????????? UPDATE ? ?????????? ? ?????????? ??????????</p> <li style="color: black; line-height: 140%; vertical-align: top">????????? INSERT ? UPDATE
 ?????????? ?????????? CHECK ?????????? ?????????? ?????? ? ?????????? ??? ?????????? ? ?????????? ?????????????? ?????? ??????????????. ?????????? ?????????????? CHECK ??? ?????????????? ?????????????? INSERT ? UPDATE, ??? ???? ???? ???? ?????????? ???? ?????????????? ??? ???? ?????????????? ?????? ?????????????? ?????? ? ?????????, ??? ?????????? ? ???? ?????????? <li style="color: black; line-height: 140%; vertical-align: top">????????? ??????????????
 ?????????? ?????????????? CHECK ? ?????????? ?????????????? ?????????? ?????? ? ????? ?????????-?????????. ??? ?????????????? ?????????? ?????????? ?????????????? ???? ?????????????? ?????????? ?????????????? ?????????? ? ?????????? ?????????? ???? ?????????-????????? ? ?????????? ???? ??????. ??? ?????????, ?? ??????????????, ??? ??? ????? ?????????? ?????????????????? ?? ?????????? ?????????? ?????????? ?????????????? CHECK, ?????????????? ?????????? ? ???? ?????????-????????????, ?? ?????????????, ??? ?????? ?????????????? ?????????? ?????????? ???? ?????????? ?????? ?????????? ? ?????????? ?????????? ?????????? ???? ? ?????????? ?????????????? ?????????????????, ?????????????????????? ? ?????????????? ? ?????????? ?????????????? <p style="line-height: 140%; vertical-align: top">??? ?????????????? ?????????????? CHECK ??? ?????????????? ?????????????? INSERT ? UPDATE</p> <li style="color: black; line-height: 140%; vertical-align: top">ALTER TABLE (Transact-SQL) <li style="color: black; line-height: 140%; vertical-align: top">??? ?????????????? ?????????????? ?????????????? ??? ?????????? ?????????????? INSERT ? UPDATE (????????????? ?????????????? ??? ??? ??????????) <p style="line-height: 140%; vertical-align: top">??? ?????????????? ?????????????? CHECK ??? ?????????????? ?????????????? </p> <li style="color: black; line-height: 140%; vertical-align: top">ALTER TABLE (Transact-SQL) <li style="color: black; line-height: 140%; vertical-align: top">??? ?????????????? ?????????????? ?????????????? ???? ?????????????? (????????????? ?????????????? ??? ??? ??????) <p style="line-height: 140%; vertical-align: top">??? ?????????????? ?????????????? ???? ?????????????????? CHECK </p>

Автор: ??????????????
31.03.2009 10:25

?????? ?????????????? ??????????????.</p> <p>????????????? AS
sql_?????????[...n] ?????????? ?????? SQL- ?????????? ? ??????, ?????? ?????
????????? ???? ?????????? ?????????.</p> <p>????????, ???
?????? ????????? ? ? ?????????????? ?????????????? ????
?????????, ?????, ?????????, ???:</p> <li style="color: black"><span style="font-size:
10pt; font-family: 'Verdana','sans-serif'">????????, ?????????? ? ?????????? ???? ?
?????; <li style="color: black"><span style="font-size: 10pt; font-family:
'Verdana','sans-serif'">????????????????? ?????????? ?????? ???? ?????? ????
????????????? <p>????????????? ???? ?????? ? ? ??????????, ??? ??? ????
?? ?????? ???? ?????????? ? ?????? ?????????? ??????????????, ? ????????? ?????????????? <span
class="keyword1">?????????. ??? ?????????????? ????? ? ? ?????? ??????-? ?????????
????????????? ? ? ?????????????????????? ?????????????? <span
class="keyword1">?????????????. ?????? ?????? ?????? ??????????, ?????, ?????????,
????? ?????????? ?????? ?????????? ?????????????? ?????????? ?????????????????? ??????????
????? ?????????? ??????????????</p> <hr title="????????????????????? ??????????"
class="system-pagebreak" /><h4><span style="font-family: 'Verdana','sans-serif'; color:
black">????????????????????? ??????????</h4> <p>??? ?????????????? ??????
?????????????, ?????????? ? ?????????? ?????????? ?????????? ?????????? ??????????????
????????? <span style="font-family: 'Courier New'; color:
darkred">inserted ? <span style="font-family: 'Courier
New'; color: darkred">deleted. ??? ?????????????? ?????? ??????, ?????????
????? ?????????????? ??? ?????????? ? ?????????????? ?????????????? ?????????????? <span
class="texample1">inserted ? deleted ??????????
????????????? ??????, ??? ?????????? ?????????????????? <span
class="keyword1">?????????. ??? ?????????? ?????????????
????????????? ???? ?????????? ?????????? inserted ? <span
class="texample1">deleted, ?????????? ?????????? ?????????? <span
class="keyword1">????????? ? ?????????? ?????????? ? ??? ??????. ? ?????????????????? ??
????? ??????????, ?????????????? ?????????????? ?????????????,
????????????? ?????????? inserted ? <span
class="texample1">deleted ?????? ?????? ?????????:</p> <li style="color:
black">????????? <span
class="texample1">INSERT<span
style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> - ? ?????????? <span
class="texample1">inserted<span
style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> ?????????????? ??? ??????,
????????? ?????????????????? ?????????? ?????????? ? ?????????; ? ?????????? <span
class="texample1">deleted<span
style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> ? ? ?????? ? ? ?????? ?????????;
????? ?????????????? ????????????? ??? ?????????? ? ??????????
inserted<span
style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> ?????????????????? ? ?????????? ??????????
 <li style="color: black"><span style="font-size: 10pt; font-family:
'Verdana','sans-serif'">????????? <span style="font-size:
10pt">DELETE
- ? ?????????? <span style="font-size:

Автор: ??????????????
31.03.2009 10:25

10pt">deleted
 ????? ?????????????? ??? ??????, ??????? ?????????????? ?????????? ?????????; <span
 class="keyword1">???????? ????? ?????????? ?????? ?????? ? ????????????,
 ?????????? ?? ?? ??????????; ? ??????? <span
 style="font-size: 10pt">inserted<span style="font-size: 10pt; font-family:
 'Verdana','sans-serif'">?? ?????????? ?? ?????? ??????; <li style="color:
 black">???????? <span
 class="texample1">UPDATE<span
 style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> - ??? ?? ?????????????? ? ?????????
 deleted<span
 style="font-size: 10pt; font-family: 'Verdana','sans-serif'"> ?????????? ?????? ??????????
 ?????, ????????? ?????? ?????????? ??? ?????????? ?????????????? <span
 class="keyword1">?????????. ?????? ?????????? ?????? ?????????????? ? ?????????
 inserted<span
 style="font-size: 10pt; font-family: 'Verdana','sans-serif'">. ??? ?????? ?????????????? ?
 ?????????? ?????????? ?????? ?????????????? ?????????????? <span
 class="keyword1">?????????. <p>??? ?????????????? ?????????????? ?
 ?????????????? ??????, ?????????? ?????? ?????????? ??? ?????????? ?????????????? <span
 class="keyword1">?????????, ?????? ?????????????????? ?????????? <span
 class="texample1">@@ROWCOUNT; ??? ?????????????? ?????????????? ??????,
 ?????????????????? ?????????????? ??????????????. ?????????? ??????????????????, ??? <span
 class="keyword1">????????? ?????????????????? ?? ??? ?????????? ?????????????? ??????????????
 ??????, ? ? ??????? ?????????????? ?????????? ??????????????. ??? ?????? ?????????? ??????????????????
 ?? ?????????????? ??????, ?????????? ????????? ???????
 ?????????????????? ??? ??? ??????????</p> <p>????? ?????????
 ?????????????, ??? ?? 100 ?????????????????, ?????????????? ??? ?????????????? ?????? ?????? ??? ?
 ?????????????????? ??? ??? ?????? ??????????, ?? ?????????? ??????? ?? ?????? ?????????????,
 ?????????? ??? ??????????. ?????? ?????????????? ?????????????????? ?????????????????? -
 ??????? ?????? ?????????????? ?????? ??? ??????????????, ?????? ?? ??????</p> <p><span
 class="keyword1">????????? ?????????????????? ??? ?????????? ?????????????????? ??????????????,
 ?????????? ?????????? ????????? ?????????????????? ??????????????
 ?????????? ?????????????????? ??????????????????. ? ?????????????, ??? ?????????????????? ??????????????
 ?????????????????? ?????????????????? ??? ?????????????????? ?????????????????? <span
 class="keyword1">????????? ? ?????????? ?????? ??????????????, ?????????? ??????????
 ?????????????? ??????????????????, ?????????????? ?????????????????? ?????????? <span
 class="texample1">ROLLBACK TRANSACTION.</p> <p>??? ?????????????? ?????????
 ??????????, ?????????????? ??? ?????????????? ?????????? INSERT
 ??? UPDATE, ?????????????? ?????????????? <span
 class="keyword1">?????????, ?????? ?????????????????? ?????????? <span
 class="texample1">COLUMNS_UPDATED(). ??? ?????????????? ?????????????? ??????,
 ?????????? ??? ?????????????, ?????????? ? ?????????????, ?????????????????????? ?????????? ?????????? ?????????? (?
 ?????????? ?????????????????? ?????????????? ??? ?????????????? ??????????). ?????? ??? ?????????????? ?
 ?????????? "1", ?? ?????????????????????? ?????????? ??? ??????????. ?????? ?????, ?????? ??????????????
 ?????????? ?????????????????? ? ?????????? UPDATE
 (????_?????????)</p> <p>??? ????????? ??????????????
 ?????????????????? ??????????</p> DROP TRIGGER {???_????????????}

Автор: ??????????????
31.03.2009 10:25

????????? ?????????? ??????? ?? ?????????? ?????????,
 ??????????, ?????? ??????????:</p> DELETE FROM <span
 style="color: darkred">????????? WHERE <span
 style="color: darkred">?????????????=4 <p>???
 ??????, ??? ?????????? ??????? ??? ?????????? ???????, ?????????????? ??????????????????
 ??? ?????????? ?? ??????. ????????? ?????????????? ???????
 ??? ?????????????? ??????.</p> <span
 style="color: darkred">CREATE TRIGGER ?????????_del <span style="color:
 darkred">ON ?????? FOR DELETE AS <span
 style="color: darkred">IF @@ROWCOUNT=1 -- ??????? ?????? <span
 style="color: darkred">BEGIN ◆ DECLARE @y INT,@x
 INT --?????????????? ???? ? ?????????????? ??????? ??
 --????????????? ?? ?????????? ?????? ???????
 ◆ SELECT @y=???????????, @x=????????????? <span
 style="color: darkred">◆ FROM deleted --? ??????????
 ?????? ?????????????????? ?????????????? --?????????
 ◆◆◆◆ UPDATE ?????? <span style="color:
 darkred">◆◆◆◆ SET ?????????=?????????-@x ◆◆◆◆
 WHERE <span style="color:
 darkred">?????????????=@y <span style="color:
 darkred">END <p><span style="font-size: 8pt;
 font-family: 'Courier New'">?????????<span
 style="font-size: 8pt; font-family: 'Courier New'"> 14.3. <span
 class="objectname1">????????? ???
 ?????????? ?????????? ?????????? ??????? ?? ?????????? (<a
 href="http://www.intuit.ru/department/database/sql/14/example.14.3.htm"
 target="_blank">html, <span
 style="color: #330066">txt) </p> </div>