

```

<p align="center"><strong>????????? </strong><strong>Drag</strong><strong> &
</strong><strong>Drop</strong></p> <p> </p> <p><strong>??????? ??????????
Drag&Drop</strong></p> <p>?????? ???, ???????? ? Windows, ?????????????
????????????? ? ????????????? Drag&Drop (???????????? ? ?????????). ????????,
????????????? ?????? ? ??????, ??????, ??????, ?????????????? ?? ????? ?????????????
???????????? ?????? ? Windows. </p> <p>???????? Drag&Drop ?????????????? ??? ?????????
????????? ?????? ? ?????? ?????????????? ? ??????, ??? ? ?????????? ?????? ?????????????? ???
????????????? ? ?????????????? ?????? ? ?????????????? Windows ??? ??? ?????????? ??????
????????????? ?????? ?????????????? ?????? ?? ?????? ??????????????.</p> <p> </p> <p><a
name="_2_???????_Drag&Drop" title="_2_???????_Drag&Drop"></a><strong>????????
Drag&Drop</strong></p> <p>? ????????? Drag&Drop ?????????? ??? ?????????:
???????-????????? ? ????????-?????????. ? ?????????? ?????????????? ?????? ??????????
????????? ?????? ?????? ?????????? ?????? ? ?????? ?????????????, ????????? ?????????????
??????? ?????.</p> <p>? ?????????????? ? ?????????? ????????????? ?????? ????????????? ??????, ??
????? ?????????????? ?????? ?????????? ?????????????, ????????? ?????? ?????????? ? ??????????
?????????????. ?????? ?????????????? ? ?????? ?????????????? ??????????????????, ?????, ??-???????,
????????????? ?????????? ?????????????????, ??-???????, ?????????? ??????????.</p> <p>??????
????????? ??????????????????, ??? ????????, ?????????????????? ? ?????????? ?????????????
????????? MouseDown, ?????? ?????? ?????? ?????????????? ♦????????????????♦ ? ????????? ?????,
????? ?????? ?????? ?? ?????? ??????????.</p> <p>????? ?????????????? ?????? ?????????? ?
???????-?????????, ??? ???????? ??? ?????????? ?????????????? ?????????????? </p>
?????????, ?????????????? ??? ?????????????????? ??????????. ?????? ?? ?? ?????? ?????????????,
?????????????, ?♦?.?.</p> <p>????? ?????????????, ?????? ?? ?????????? ?????????????? ??????????
????????????????? ?? ?????? ??????, ?????????????????? ?????????? AllowDrop. ????? ??????????
????????? ?????????? True, ? ?????????? ?????????????? ?????????????? ?????????? ?????????????????,
? ?????????? ?????? (?? ??????????), ?????????? ?????????????????? ?? ??????????????.</p>
<p>????????? DragSize ?????????? ?????????? ? ?????????? ?????????????????? ?????????, ??
????????? ?????????? ???????? ?????? ?????????????? ??? ?????????????? ?????????? ?????????????????? ?
???, ?????? ???????? ?????????? ?????????????????????? ??? ?????????? ??????????????????.</p>
<p>????? ?????????? ?????????????? ?????????? ?????????? ??????????????, ?????????????????? ???
????????? ?? ??? ?????????????????????? ??? ?????????? ??????. ?????????, ??? ??????????????????
??????? ? Windows, ??????? ♦+♦ ??? ?????????? ?????? ?????????? ? ???, ??? ?????? ? ??????
?????? ??????????????. </p> <p> </p> <p><strong>????? DoDragDrop</strong></p> <p>?????
DoDragDrop ?????????? ?????????? ??????????????????.</p>
<p><strong>DoDragDrop</strong>(data, allowedEffects),</p> <p>??? data -
????????????????????? ??????,</p> <p>allowedEffects ? ?????? ?? ?????????? ??????????????
DragDropEffects. ?????????????, ?????? ?????????? ?????????????????? ??????????.</p> <p>?????
????????????????? DragDropEffects:</p> <table border="1" cellspacing="0" cellpadding="0"
width="98%"> <tr> <td width="9%" valign="top"> <p align="center">?? </p> </td> <td
width="90%" valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td
width="9%" valign="top"> <p>All</p> </td> <td width="90%" valign="top"> <p>???????
?????????????, ?????????? ?? ?????????? ? ?????????????????? ? ??????????.</p> </td> </tr> <tr>
<td width="9%" valign="top"> <p>Copy</p> </td> <td width="90%" valign="top">
<p>??????? ?????????????? ? ??????????.</p> </td> </tr> <tr> <td width="9%" valign="top">
<p>Link</p> </td> <td width="90%" valign="top"> <p>??????? ?? ??????????
????????????????? ? ??????????????</p> </td> </tr> <tr> <td width="9%" valign="top">

```

```

<p>Move</p> </td> <td width="90%" valign="top"> <p>?????? ?? ??????????
????????????? ? ??????????.</p> </td> </tr> <tr> <td width="9%" valign="top">
<p>None</p> </td> <td width="90%" valign="top"> <p>????????? ?? ??????????
??????.</p> </td> </tr> </table> <p>????? DoDragDrop ??????????? ??????????
?????????????? DragDropEffects, ?????????????????? ?????????? ???????????
????????? ??????????????????.</p> <p>????? DoDragDrop ??????????? ??????????
?? ?????????? ??????????????? ?????????? ?????????? ??????????
????????????? ?????????????? ?????????? ?????????? ??????????
????????????? GiveFeedback ? ?????????? ?????????? ?????????????????? (????????????????
DragDropEffects).</p> <p>????????????? ?????????? ?????????? ?????, ?????????? ?????????????? ?
?????? ????? ??????????????????. ??? ?????????? ?????????????? ?????????????? ??? ????? ??????????????
????????? QueryContinueDrag, ???????????????, ?????????? ?? ?????????????? ??? ??????????????
????????????????????? ????? ?????????? ?????????? ?? ?????????????? ?????????? ?????????? Action
????????????? ??????????.</p> <p>????????????????? DragAction ??????????, ?????????? ?? ?????
????????????? ?????????? ?????????????????? ? ?????? ??????????. ?????? ??????????????????
DragAction:</p> <table border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td
width="14%" valign="top"> <p align="center">??? ??????</p> </td> <td width="85%"
valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td width="14%"
valign="top"> <p>Cancel</p> </td> <td width="85%" valign="top"> <p>??????????
?????????????. ?????????? ?????????? DragLeave</p> </td> </tr> <tr> <td width="14%"
valign="top"> <p>Continue</p> </td> <td width="85%" valign="top"> <p>??????????
?????? ??????????????, ?????????????? ?????????? DragOver ??? ?????????????????? ?????????? ?
?????????
GiveFeedback ? ?????? ??????????</p> </td> </tr> <tr> <td width="14%" valign="top">
<p>Drop</p> </td> <td width="85%" valign="top"> <p>?????????? ?????? ??????????????????
?????? ??????????????????????. ?????????? ?????????? ?????????????????????? ??????????????????
?????????????.</p> </td> </tr> </table> <p><a
name="frlrfsystemwindowsformsdragdropeffectscl"
title="frlrfsystemwindowsformsdragdropeffectscl"></a>◆</p> <hr title="????????? Drag&Drop"
class="system-pagebreak" /><p><a name="_3_?????????_Drag&Drop"
title="_3_?????????_Drag&Drop"></a><strong>????????? Drag&Drop</strong></p>
<p><u>MouseDown</u></p> <p>????????? MouseDown ?????????????, ?????? ?????????????? ??????
????????????? ?? ?????????? ?????????????? ? ??????? ??????? ??????. ?????????????? ??????????
????????????? ?????????????? ?????? MouseEventArgs.</p> <p>????????????? MouseEventArgs:</p> <table
border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="12%"
valign="top"> <p align="center">?????????</p> </td> <td width="87%" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="12%" valign="top">
<p>Button</p> </td> <td width="87%" valign="top"> <p>?????? ??????? ?????? ??????
?????????.</p> </td> </tr> <tr> <td width="12%" valign="top"> <p>Clicks</p> </td> <td
width="87%" valign="top"> <p>?????? ?????????? ? ?????????????? ?????????? ??????.</p> </td>
</tr> <tr> <td width="12%" valign="top"> <p>Delta</p> </td> <td width="87%"
valign="top"> <p>????????? ?? ?????????? ??? ?????????????????? ?????????? ??????????????????
?????????????
?????. ??????? - ??? ?????? ?????????? ?????????? ??????.</p> </td> </tr> <tr> <td width="12%"
valign="top"> <p>X</p> </td> <td width="87%" valign="top"> <p>x-?????????????????
?????.</p> </td> </tr> <tr> <td width="12%" valign="top"> <p>Y</p> </td> <td
width="87%" valign="top"> <p>y-????????????????? ??????.</p> </td> </tr> </table> <p>?????????
????? ?????????????? ? ?????????????? ??????????: </p> <p>1.◆◆◆◆ MouseEnter </p> <p>2.◆◆◆◆

```

Автор: ITAuthor
27.02.2009 14:42

```

MouseMove </p> <p>3. MouseDown </p> <p>4. MouseUp </p> <p>5.
MouseLeave</p> <p></p> <p><u>DragDrop</u></p> <p>?????? DragDrop ????????,
????? ?????????? ?????????????????? ??????????. ?????????? ?????????? ??????????
????? DragEventArgs.</p> <p>???????? DragEventArgs:</p> <table border="1"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="17%" valign="top"> <p
align="center">????????</p> </td> <td width="82%" valign="top"> <p
align="center">????????</p> </td> </tr> <tr> <td width="17%" valign="top">
<p>AllowedEffect</p> </td> <td width="82%" valign="top"> <p>????????, ????????????,
?????? ?????????? ?????????????????? ?????????? ?????????? ??????????????????.</p>
</td> </tr> <tr> <td width="17%" valign="top"> <p>Data</p> </td> <td width="82%"
valign="top"> <p>?????? IDataObject, ?????????? ??????, ?????????? ? ?????
?????????.</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>Effect</p> </td> <td
width="82%" valign="top"> <p>?????? ??????????????? ? ?????? ??????????
?????????????????.</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>KeyState</p>
</td> <td width="82%" valign="top"> <p>????????? ?????? SHIFT, CTRL, ALT ? ??????
?????.</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>X</p> </td> <td
width="82%" valign="top"> <p>?????????? ?? ??? X ??? ?????????? ????? ( ??????????
?????????????).</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>Y</p> </td> <td
width="82%" valign="top"> <p>?????????? ?? ??? Y ??? ?????????? ????? ( ??????????
?????????????).</p> </td> </tr> </table> <p>????? ??????????????? ?????????? ?????????? X ?
Y ? ??????????? ?????????????????? ?????????? (?????????) ?????????? ??????????????? ??????
PointToClient. ? ?????? ?????? ?????? ?????????? ?????????? ??????????</p>
<p>????????????? ?????????? = ?????????_?????????.PointToClient(New Point(e.X, e.Y)),</p>
<p>??? <a name="frlrfssystemdrawingpointclasstopic"
title="frlrfssystemdrawingpointclasstopic"></a>Point - ??????????, ??????????????? ?????? ??
????????????.</p> <p></p> <p><u>DragEnter</u></p> <p>????????? DragEnter ?????????????
??? ??????????????? ?????????? ?????????? ?????????? ??????????????.</p> <p></p>
<p><u>DragLeave</u></p> <p>????????? DragLeave ?????????????? ??? ?????????????? ??????????
?? ?????????? ?????????? ??????????????, ??? ??? ?????????? ?????????? ??????????
?????????????????.</p> <p></p> <p><u>DragOver</u></p> <p>????????? DragOver
????????????? ??? ?????????????????? ?????????? ??? ?????????????? ??????????????.</p> <p>
</p> <p><u>GiveFeedback</u></p> <p>????????? GiveFeedback ????????????? ? ?????????
????????????? ?????????????????? ? ?????????????? ?????????????? ??????????????
?????, ?????? ?????????????? ?????????????? ?????????????? ?????? ?? ?????? ??????????
?????????????????. ?????????????? ?????????? ?????????? ?????????? ??????????</p>
GiveFeedbackEventArgs.</p> <p>???????????? GiveFeedbackEventArgs:</p> <table border="1"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="22%" valign="top"> <p
align="center">????????</p> </td> <td width="77%" valign="top"> <p
align="center">????????</p> </td> </tr> <tr> <td width="22%" valign="top">
<p>Effect</p> </td> <td width="77%" valign="top"> <p>????????? ?????? ??????????????????
????????? ??????????????????.</p> </td> </tr> <tr> <td width="22%" valign="top">
<p>UseDefaultCursors</p> </td> <td width="77%" valign="top"> <p>????????????? ???
????????? ?????????????????? ?????????????????? ??? ?????????????? ??????????????????
????????????????? ?????????????????? ?????????????????? ?????????????????? ??????????????
?????????????????</p> </td> </tr> </table> <p></p> <p><u>QueryContinueDrag</u></p> <p>????????? QueryContinueDrag
????????????? ??? ?????????????? ?????????????? ?????????????? ??? ?????????? ?????? ?? ??????
?????????????

```

Автор: ITAuthor
27.02.2009 14:42

```
???????????????? ? ?????????? ?????????? ??????????, ?????? ?? ??? ????? ??????????.
???????????? ?????????? ?????????? ?????????? ????? QueryContinueDragEventArgs.</p>
<p>????????? QueryContinueDragEventArgs:</p> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td width="19%" valign="top"> <p
align="center">?????????</p> </td> <td width="80%" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>Action</p> </td> <td width="80%" valign="top"> <p>????????? ??????????
?????????????????</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>EscapePressed</p> </td> <td width="80%" valign="top"> <p>????????? ??
????????????????? ?????????? ESC.</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>KeyState</p> </td> <td width="80%" valign="top"> <p>????????? ?????????? ??????????
SHIFT, CTRL ? ALT.</p> </td> </tr> </table> <p> </p> <p><a
name="_4_?????????????????_?????????????????"
title="_4_?????????????????_?????????????????"></a>◆</p> <hr title="OLE-Drag&Drop "
class="system-pagebreak" /><p><a name="_5_?????????????????_?_?????????????????"
title="_5_?????????????????_?_?????????????????"></a><strong>OLE-Drag&Drop
</strong></p> <p>????????????? ?????????????????? ?????? ?????? ?????????????????? ??????????????
OLE-Drag&Drop. ?????????????????? ? ?????????????????? OLE-????????????????? ?????? ??????????????
????????? ?????????? ?????????????? ? ?????????????, ?? ? ?????????? ?????????? ?????????????????? ?? ??????????
????????????????, ? ?????????? ?????????, ??? ?????????????? ?????????????????? ?????? ?????????? ? ??????????
?????????????????, ?????????????? OLE-????????????????? Windows.</p> <p>????????? ?????????? ??????????
????????????? ? ?????????????????? ? ?????????????? Windows. ?????? ?????????????????????? ??????????????????????
????????? ??? ?????????? ?????????? ??????, ?? ??????????????, ??? ?????????? ?????????????????? ??
?????????-????????????? ? ??????????-????????????, ? ?? ?????????????? ?????????? ?????????????????? ??????????
? ?????????????? ?????????? ??????????. ?????? ?????????????????????? ?????????????????? ??? ?????????? ??????????
Ctrl, ?? ?????????? ??????????????</p> <p>??? OLE-????????????????????? ?? ?????????????? ??????????
????????????????? ?????? ?????????? ? ?????????????????????? ??????????. ??? ? ??? ??????????
????????????????????, ?????????? OLE-????????????????????? ?????????????????? ?????????? ??????????
DoDragDrop.</p> <p>?? ?????????????????? ?????????? ? ?????????????????? ?????????? DragEnter ??????????
????????????? ??? ?????????????????????? ?????????????? ? ?????????? ?????????????????? ??????????:
????????????????? ??? ??????????????????. ?????? ?????? ?????????? ?????????????????? ? ??????????????????????
????????? ??????????????????????. ?????? ?????????? ??????????????????, ??? ??????????-?????????????
????????????????? ?????????? DragDrop.</p> <p>????????????? ??? ?????????????????????? ??????????????
????????? ? ?????????? ?????????? GetDataPresent ?????????? DragEventArgs, ?????????? ??????????
????????????????? ?????????? DragEnter. ??????????:</p> <p><strong>If</strong>
(e.Data.GetDataPresent(DataFormats.Text)) <strong>Then</strong> ...</p> <p><a
name="frlrfsystemwindowsformsdataformatsclasst"
title="frlrfsystemwindowsformsdataformatsclasst"></a>????????????? ?????? ?????????
DataFormats:</p> <table border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td
width="28%" valign="top"> <p align="center">?????</p> </td> <td width="71%" valign="top">
<p align="center">?????????</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>Bitmap</p> </td> <td width="71%" valign="top"> <p>????????? ?????????????? ??????????
Windows.</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>CommaSeparatedValue</p> </td> <td width="71%" valign="top"> <p>?????????
?????????????, ?????????????????? ??????????.</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>FileDrop</p> </td> <td width="71%" valign="top"> <p>????????? ?????????? ??????????
```

Автор: ITAuthor
27.02.2009 14:42

Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Html</p> </td> <td width="71%" valign="top"> <p>?????, ?????????? ?? ?????? HTML.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>MetafilePict</p> </td> <td width="71%" valign="top"> <p>?????? ?????????? Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Rtf</p> </td> <td width="71%" valign="top"> <p>?????, ?????????? ?? ?????? ?????? Rich Text Format.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>StringFormat</p> </td> <td width="71%" valign="top"> <p>?????? ?????????????? ?????? ????, ??????? ?????? Windows Forms ?????????? ?? ????????? ?????????? ?????????.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Text</p> </td> <td width="71%" valign="top"> <p>????????????? ?????????? ?????? ANSI. </p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Tiff</p> </td> <td width="71%" valign="top"> <p>????????? ?????? ?????? ?????????????? Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>UnicodeText</p> </td> <td width="71%" valign="top"> <p>????????????? ?????????? ?????? Windows Unicode.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>WaveAudio</p> </td> <td width="71%" valign="top"> <p>??????? WAV.</p> </td> </tr> </table> <p>????? ?????????? ?????????????? ?????????? ?????????? ? ????????? ?????????? ?????????? Effect ?????????? ?????????? DragEnter. ??????????:</p> <p>lf (e.Data.GetDataPresent(DataFormats.Text)) Then e.Effect = _ DragDropEffects.Copy</p> <p>????? ?????????????? ?????????? ?????????????? ?????????? DragDrop ??? ?????????????? ??????????????????, ? ???? ?????????????? ??????? ?????????????? ???, ?????????????????? ?????????????? ?? ??????????????. ?????????, ?????? ?????????????? ?????? ? RichTextBox ?????????????? ?????????????? ???:</p> <p>RichTextBox1.Text = e.Data.GetData(DataFormats.Text).ToString</p> <p>????? GetData ?????????????? ?????????, ?????????????? ? ?????????????? ??????????.</p> <p></p>