


```

<p>Move</p> </td> <td width="90%" valign="top"> <p>?????? ?? ??????????
????????????? ? ??????????.</p> </td> </tr> <tr> <td width="9%" valign="top">
<p>None</p> </td> <td width="90%" valign="top"> <p>????????? ?? ??????????
??????.</p> </td> </tr> </table> <p>????? DoDragDrop ??????????? ??????????
?????????????? DragDropEffects, ?????????????????? ?????????? ???????????
????????? ??????????????????.</p> <p>????? DoDragDrop ??????????? ??????????
?? ?????????? ??????????????? ?????????? ?????????? ??????????
????????????? ?????????????? ?????????? ?????????? ??????????
????????????? GiveFeedback ? ?????????? ?????????? ?????????????????? (????????????????
DragDropEffects).</p> <p>????????????? ?????????? ?????????? ?????, ?????????? ??????????????
????????? ????? ??????????????????. ??? ?????????? ?????????????? ?????????????? ??? ?????
?????????????
????????? QueryContinueDrag, ??????????????, ?????????? ?? ?????????????? ??? ?????????????
????????????????????? ????? ?????????? ?????????? ?? ?????????????? ?????????? ?????????? Action
????????????? ??????????.</p> <p>????????????????? DragAction ??????????, ?????????? ?? ?????
????????????? ?????????? ?????????????????? ? ?????? ??????????. ?????? ??????????????????
DragAction:</p> <table border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td
width="14%" valign="top"> <p align="center">??? ??????</p> </td> <td width="85%"
valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td width="14%"
valign="top"> <p>Cancel</p> </td> <td width="85%" valign="top"> <p>??????????
?????????????. ?????????? ?????????? DragLeave</p> </td> </tr> <tr> <td width="14%"
valign="top"> <p>Continue</p> </td> <td width="85%" valign="top"> <p>??????????
?????? ??????????????, ?????????????? ?????????? DragOver ??? ?????????????????? ?????????? ?
?????????
GiveFeedback ? ?????? ??????????</p> </td> </tr> <tr> <td width="14%" valign="top">
<p>Drop</p> </td> <td width="85%" valign="top"> <p>?????????? ?????? ??????????????????
?????? ??????????????????????. ?????????? ?????????? ?????????????????????? ??????????????????
?????????????.</p> </td> </tr> </table> <p><a
name="frlrfsystemwindowsformsdragdropeffectscl"
title="frlrfsystemwindowsformsdragdropeffectscl"></a>◆</p> <hr title="????????? Drag&Drop"
class="system-pagebreak" /><p><a name="_3_?????????_Drag&Drop"
title="_3_?????????_Drag&Drop"></a><strong>????????? Drag&Drop</strong></p>
<p><u>MouseDown</u></p> <p>????????? MouseDown ?????????????, ?????? ?????????????? ?????
????????????? ?? ?????????? ?????????????? ? ??????? ??????? ??????. ?????????????? ??????????
????????????? ?????????????? ?????? MouseEventArgs.</p> <p>????????????? MouseEventArgs:</p> <table
border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="12%"
valign="top"> <p align="center">?????????</p> </td> <td width="87%" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="12%" valign="top">
<p>Button</p> </td> <td width="87%" valign="top"> <p>?????? ??????? ?????? ?????
??????.</p> </td> </tr> <tr> <td width="12%" valign="top"> <p>Clicks</p> </td> <td
width="87%" valign="top"> <p>?????? ?????????? ? ?????????????? ?????????? ??????.</p> </td>
</tr> <tr> <td width="12%" valign="top"> <p>Delta</p> </td> <td width="87%"
valign="top"> <p>????????? ?? ?????????? ??? ?????????????????? ?????????? ??????????????????
?????????????
?????. ??????? - ??? ?????? ?????????? ?????????? ??????.</p> </td> </tr> <tr> <td width="12%"
valign="top"> <p>X</p> </td> <td width="87%" valign="top"> <p>x-?????????????????
?????.</p> </td> </tr> <tr> <td width="12%" valign="top"> <p>Y</p> </td> <td
width="87%" valign="top"> <p>y-????????????????? ??????.</p> </td> </tr> </table> <p>?????????
????? ?????????????? ? ?????????????? ??????????: </p> <p>1.◆◆◆◆ MouseEnter </p> <p>2.◆◆◆◆

```

Автор: ITAuthor
27.02.2009 14:42

MouseMove </p> <p>3. MouseDown </p> <p>4. MouseUp </p> <p>5. MouseLeave</p> <p></p> <p><u>DragDrop</u></p> <p>?????? DragDrop ????????,
????? ?????????? ?????????????????? ??????????. ?????????? ?????????? ?????????? ??????????
???? DragEventArgs.</p> <p>???????? DragEventArgs:</p> <table border="1"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="17%" valign="top"> <p
align="center">????????</p> </td> <td width="82%" valign="top"> <p
align="center">????????</p> </td> </tr> <tr> <td width="17%" valign="top">
<p>AllowedEffect</p> </td> <td width="82%" valign="top"> <p>????????, ?????????????,
????? ?????????? ?????????????????? ?????????? ?????????? ?????????? ??????????</p>
</td> </tr> <tr> <td width="17%" valign="top"> <p>Data</p> </td> <td width="82%"
valign="top"> <p>?????? IDataObject, ?????????? ??????, ?????????? ? ?????
?????????</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>Effect</p> </td> <td
width="82%" valign="top"> <p>?????? ?????????????????? ? ?????? ??????????
?????????????????</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>KeyState</p>
</td> <td width="82%" valign="top"> <p>????????? ?????? SHIFT, CTRL, ALT ? ??????
????</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>X</p> </td> <td
width="82%" valign="top"> <p>????????????? ? ? ? ? X ? ? ? ?????????? ?????? (? ??????????
?????????????)</p> </td> </tr> <tr> <td width="17%" valign="top"> <p>Y</p> </td> <td
width="82%" valign="top"> <p>????????????? ? ? ? ? Y ? ? ? ?????????? ?????? (? ??????????
?????????????)</p> </td> </tr> </table> <p>????? ?????????????????? ?????????? ?????????? X ?
Y ? ?????????????? ?????????????????? ?????????? (?????????) ?????????? ?????????????????? ??????
PointToClient. ? ?????? ?????? ?????? ?????????? ?????????? ??????????</p>
<p>????????????? ?????????? = ?????????_?????????.PointToClient(New Point(e.X, e.Y)),</p>
<p>??? <a name="frlrfsystemdrawingpointclasstopic"
title="frlrfsystemdrawingpointclasstopic">Point - ??????????, ?????????????????? ?????? ??
????????????</p> <p></p> <p><u>DragEnter</u></p> <p>????????? DragEnter ?????????????
??? ?????????????????? ?????????? ?????????? ?????????? ?????????????</p> <p></p>
<p><u>DragLeave</u></p> <p>????????? DragLeave ?????????????? ??? ?????????????? ??????????
?? ?????????? ?????????? ??????????????, ??? ??? ?????????? ?????????? ??????????
????????????????????</p> <p></p> <p><u>DragOver</u></p> <p>????????? DragOver
????????????? ??? ?????????????????????? ?????????? ??? ?????????????? ?????????????</p> <p>
</p> <p><u>GiveFeedback</u></p> <p>????????? GiveFeedback ????????????? ? ?????????
????????????? ?????????????????? ? ?????????????? ?????????????? ?????????? ??????????
????, ?????? ?????????????? ?????????????? ?????????? ?????? ? ? ?????? ??????????
????????????????????? ?????????????? ?????????? ?????????? ?????????? ??????

GiveFeedbackEventArgs.</p> <p>???????????? GiveFeedbackEventArgs:</p> <table border="1"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td width="22%" valign="top"> <p
align="center">????????</p> </td> <td width="77%" valign="top"> <p
align="center">????????</p> </td> </tr> <tr> <td width="22%" valign="top">
<p>Effect</p> </td> <td width="77%" valign="top"> <p>????????? ?????? ??????????????????
????????? ?????????????????????</p> </td> </tr> <tr> <td width="22%" valign="top">
<p>UseDefaultCursors</p> </td> <td width="77%" valign="top"> <p>????????????? ???
????????? ?????????????????? ?????????????????? ??? ?????????????? ??????????????????
????????????????? ? ? ?????????????? ? ?????????????? ?????????????????????</p> </td> </tr>
</table> <p></p> <p><u>QueryContinueDrag</u></p> <p>????????? QueryContinueDrag
????????????? ??? ?????????????? ?????????????? ?????????????? ??? ?????????? ?????? ?? ?????? ??????????

Автор: ITAuthor
27.02.2009 14:42

```

???????????????? ? ?????????? ?????????? ???????????, ?????? ?? ??? ????? ??????????.
???????????? ?????????? ?????????? ?????????? ????? QueryContinueDragEventArgs.</p>
<p>????????? QueryContinueDragEventArgs:</p> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td width="19%" valign="top"> <p
align="center">?????????</p> </td> <td width="80%" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>Action</p> </td> <td width="80%" valign="top"> <p>????????? ??????????
?????????????????</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>EscapePressed</p> </td> <td width="80%" valign="top"> <p>????????? ??
????????????????? ?????????? ESC.</p> </td> </tr> <tr> <td width="19%" valign="top">
<p>KeyState</p> </td> <td width="80%" valign="top"> <p>????????? ?????????? ??????????
SHIFT, CTRL ? ALT.</p> </td> </tr> </table> <p> </p> <p><a
name="_4_?????????????????_?????????????????"
title="_4_?????????????????_?????????????????"></a>◆</p> <hr title="OLE-Drag&Drop "
class="system-pagebreak" /><p><a name="_5_?????????????????_?_?????????????????"
title="_5_?????????????????_?_?????????????????"></a><strong>OLE-Drag&Drop
</strong></p> <p>????????????? ?????????????????? ?????? ?????? ?????????????????? ??????????????
OLE-Drag&Drop. ?????????????????? ? ?????????????????? OLE-????????????????? ?????? ??????????????
????????? ?????????? ?????????????? ? ?????????????, ?? ? ?????????? ?????????? ?????????????????? ?? ??????????
????????????????, ? ?????????? ?????????, ??? ?????????????? ?????????????????? ?????? ?????????? ? ??????????
?????????????????, ?????????????? OLE-????????????????? Windows.</p> <p>????????? ?????????? ??????????
????????????? ? ?????????????????? ? ?????????????? Windows. ??? ? ?????????????????????? ??????????????????????
????????? ??? ?????????? ?????????? ??????, ?? ??????????????, ??? ?????????? ?????????????????? ??
?????????-????????????? ? ?????????-????????????, ? ?? ?????????????? ?????????? ?????????????????? ??????????
? ?????????????? ?????????? ??????????. ??? ? ?????????????????? ?????????????????? ??????????????????
Ctrl, ?? ?????????? ??????????????</p> <p>??? OLE-????????????????????? ?? ?????????????? ??????????
????????????????? ?????? ?????????? ? ?????????????????????? ??????????. ??? ? ??? ??????????
????????????????????, ?????????? OLE-????????????????????? ?????????????? ?????????? ??????????
DoDragDrop.</p> <p>?? ?????????????????? ?????????? ? ?????????????????? ?????????? DragEnter ??????????
????????????? ??? ?????????????????????? ?????????????? ? ?????????? ?????????????????? ??????????:
????????????????? ??? ??????????????????. ?????? ?????? ?????????? ?????????????????? ? ??????????????????????
????????? ??????????????????????. ?????? ?????????? ??????????????????, ??? ?????????-?????????????
????????????????? ?????????? DragDrop.</p> <p>????????????? ??? ?????????????????????? ??????????????
????????? ? ?????????? ?????????? GetDataPresent ?????????? DragEventArgs, ?????????? ??????????
????????????????? ?????????? DragEnter. ??????????:</p> <p><strong>If</strong>
(e.Data.GetDataPresent(DataFormats.Text)) <strong>Then</strong> ...</p> <p><a
name="frlrfsystemwindowsformsdataformatsclasst"
title="frlrfsystemwindowsformsdataformatsclasst"></a>????????????? ?????? ?????????
DataFormats:</p> <table border="1" cellspacing="0" cellpadding="0" width="100%"> <tr> <td
width="28%" valign="top"> <p align="center">?????</p> </td> <td width="71%" valign="top">
<p align="center">?????????</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>Bitmap</p> </td> <td width="71%" valign="top"> <p>????????? ?????????????? ??????????
Windows.</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>CommaSeparatedValue</p> </td> <td width="71%" valign="top"> <p>?????????
?????????????, ?????????????????? ??????????.</p> </td> </tr> <tr> <td width="28%" valign="top">
<p>FileDrop</p> </td> <td width="71%" valign="top"> <p>????????? ?????????? ??????????

```

Автор: ITAuthor
27.02.2009 14:42

Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Html</p> </td> <td width="71%" valign="top"> <p>?????, ?????????? ?? ?????? HTML.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>MetafilePict</p> </td> <td width="71%" valign="top"> <p>?????? ?????????? Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Rtf</p> </td> <td width="71%" valign="top"> <p>?????, ?????????? ?? ?????? ?????? Rich Text Format.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>StringFormat</p> </td> <td width="71%" valign="top"> <p>?????? ?????????????? ?????? ????, ????????? ?????? Windows Forms ??????????? ?? ????????? ?????????? ?????????.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Text</p> </td> <td width="71%" valign="top"> <p>????????????? ?????????? ?????? ANSI. </p> </td> </tr> <tr> <td width="28%" valign="top"> <p>Tiff</p> </td> <td width="71%" valign="top"> <p>????????? ?????? ?????? ?????????????? Windows.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>UnicodeText</p> </td> <td width="71%" valign="top"> <p>????????????? ?????????? Windows Unicode.</p> </td> </tr> <tr> <td width="28%" valign="top"> <p>WaveAudio</p> </td> <td width="71%" valign="top"> <p>??????? WAV.</p> </td> </tr> </table> <p>????? ?????????? ?????????????? ?????????????? ?????????? ? ?????????? ?????????? ?????????? Effect ?????????? ?????????? DragEnter. ??????????:</p> <p>lf (e.Data.GetDataPresent(DataFormats.Text)) Then e.Effect = _ DragDropEffects.Copy</p> <p>????? ?????????????? ?????????????? ?????????????? ?????????? DragDrop ??? ?????????????? ??????????????????, ? ???? ?????????????? ??????? ?????????????? ???, ?????????????????? ?????????????? ?? ??????????????. ?????????, ?????? ?????????????? ?????? ? RichTextBox ?????????????? ?????????????? ???:</p> <p>RichTextBox1.Text = e.Data.GetData(DataFormats.Text).ToString</p> <p>????? GetData ?????????????? ?????????, ?????????????? ? ?????????????? ??????????.</p> <p></p>