

Автор: ??????????????  
27.02.2009 14:44

```

<p align="center"> </p><table border="0" cellspacing="0" cellpadding="0"> <tr> <td
width="138" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td> <p align="right">Files/FileSystem</p>
</td> </tr> </table> ◆</td> </tr> </table> <strong>?????? ??????. ?????? ?
??????</strong> <p> </p> <p>? .NET Framework - ??????????? ?????????? ??????????
??????, ?? ??????????? ?? ??????????. ??? ???? ?????? ?????????? (stream),
?????????? ?? ??????? ?????? ??? ???? ?????????????? ? ??? ???? ?????. ????? - ???
?????????, ????????????? ?????????? ??????? ? ??????, ?????????? ??????, ?????????????
?? ?????, ??????? ? ????????? ??????</p> <p> </p> <p><strong>?????? Stream</strong></p>
<p>????????????? ?????????? ??????-?????? ?????????????? ? ??????????????? ??? SystemIO.
??? ?????????????? ??? ?????????? ?????????????????? ?????????????? ????? Stream.</p>
<p>????????? ??????, ?????????????? ?? Stream</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="145" valign="top"> <p align="center">????? </p> </td>
<td width="540" valign="top"> <p align="center">????????? </p> </td> </tr> <tr> <td
width="145" valign="top"> <p>FileStream </p> </td> <td width="540" valign="top">
<p>?????? ? ?????? </p> </td> </tr> <tr> <td width="145" valign="top">
<p>MemoryStream </p> </td> <td width="540" valign="top"> <p>????? ?????? (?????
?????????????? ?? ?????? ? ??????????)</p> </td> </tr> <tr> <td width="145" valign="top">
<p>NetworkStream</p> </td> <td width="540" valign="top"> <p>??????, ?????????????? ?
???? ?????? ?? ?????????? ??????????????</p> </td> </tr> </table> <p>????????? ?????????? ?
????????? Stream:</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td
valign="top"> <p align="center">????? / ?????????? </p> </td> <td valign="top"> <p
align="center">????????? </p> </td> </tr> <tr> <td valign="top"> <p>CanRead</p> </td>
<td valign="top"> <p>????????? ?????????? ??????</p> </td> </tr> <tr> <td valign="top">
<p>CanWrite</p> </td> <td valign="top"> <p>????????? ?????????? ??????</p> </td>
</tr> <tr> <td valign="top"> <p>CanSeek</p> </td> <td valign="top"> <p>?????????
????????????? ?????????????? ? ??????</p> </td> </tr> <tr> <td valign="top"> <p>Read</p>
</td> <td valign="top"> <p>?????? ?????????????? ?????????????? ??????, ?????????? ?
?????????
?????????. ?????????????? ?????????????? ?????????? ?????????? ??????</p> </td> </tr> <tr>
<td valign="top"> <p>ReadByte</p> </td> <td valign="top"> <p>?????? ??????????????
?????. ??? ?????????? ?????????? ?????????? ? ?????? ??????, ?????????????? -1</p> </td> </tr>
<tr> <td valign="top"> <p>Write</p> </td> <td valign="top"> <p>?????? ??????????????
????????????? ?????? ?????????? ? ?????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>WriteByte</p> </td> <td valign="top"> <p>?????? ?????????????? ??????</p> </td> </tr>
<tr> <td valign="top"> <p>Length</p> </td> <td valign="top"> <p>????? ?????? ?
????????</p> </td> </tr> <tr> <td valign="top"> <p>Position</p> </td> <td valign="top">
<p>????????? ? ?????????? ??????</p> </td> </tr> <tr> <td valign="top"> <p>Flush</p>
</td> <td valign="top"> <p>?????? ?????? ? ?????????? ??? ??????, ?????????????????
?????????</p> </td> </tr> <tr> <td valign="top"> <p>Close</p> </td> <td valign="top">
<p>????????? ?????? ? ?????????????? ?????????????????? ?????????? </p> </td> </tr> </table> <p>
</p> <p><strong>?????? FileStream</strong></p> <p>????? - ?????????? ?????????? ??????????
?????????, ?????????????????????? ??? ?????????? ??????????????. ??? ?????????? ??? ?????????/????????
????? ?????????????? ??????????</p> <p>?????? FileStream ?????????????????? ??? ??????????,
????????, ??????? ? ?????????? ??????. ??? ?????????? ?????? ??? ?????????? ??????? ??????
????????? ??????? ??????? FileStream</p> <p>FileStream(ByVal strFileName As String, ByVal
fm As FileMode, ByVal fa As FileAccess, ByVal fs As FileShare)</p> <p>???, strFileName

```

# 14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????  
27.02.2009 14:44

```
???????????? ???? ??????;</p> <p>FileMode ????????????? ?????????? ? ?????????;</p>
<p>????????????????? FileMode</p> <table border="1" cellspacing="0" cellpadding="0"> <tr>
<td width="121" valign="top"> <p align="center">????????????</p> </td> <td width="564"
valign="top"> <p align="center">????????????</p> </td> </tr> <tr> <td width="121"
valign="top"> <p>CreateNew</p> </td> <td width="564" valign="top"> <p>????????? ??????
????????, ????? ????? ??????????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>Create</p> </td> <td width="564" valign="top"> <p>????????? ?????? ????? ??????
?????????????, ??? ?????????????? ?????????????</p> </td> </tr> <tr> <td width="121"
valign="top"> <p>Open</p> </td> <td width="564" valign="top"> <p>????????? ??????
????????, ????? ????? ?? ??????????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>OpenOrCreate</p> </td> <td width="564" valign="top"> <p>????????? ?????? ????? ??????
?? ??????????????, ??????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>Append</p> </td> <td width="564" valign="top"> <p>????????????? ?????????????? ? ??????
???????? ?????????? ????? ?????? ?? ??????????????</p> </td> </tr> </table> <p>FileAccess
????????????? ?????? ?????????? ? ??????;</p> <p>????????????????? FileAccess</p> <table
border="1" cellspacing="0" cellpadding="0"> <tr> <td width="97" valign="top"> <p
align="center">???????????? </p> </td> <td width="588" valign="top"> <p
align="center">???????????? </p> </td> </tr> <tr> <td width="97" valign="top"> <p>Read</p>
</td> <td width="588" valign="top"> <p>????????? ??? ?????????</p> </td> </tr> <tr> <td
width="97" valign="top"> <p>Write</p> </td> <td width="588" valign="top"> <p>?????????
??? ?????????</p> </td> </tr> <tr> <td width="97" valign="top"> <p>ReadWrite</p> </td>
<td width="588" valign="top"> <p>????????? ??? ????????? ? ????????? (?? ??????????????)</p>
</td> </tr> </table> <p>FileShare ????????????? ?????????? ?????? ?????????????????? ?????????? ?
?????.</p> <p>????????????????? FileShare</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="97" valign="top"> <p align="center">???????????? </p> </td>
<td width="588" valign="top"> <p align="center">???????????? </p> </td> </tr> <tr> <td
width="97" valign="top"> <p>None</p> </td> <td width="588" valign="top">
<p>????????????? ????????? ????????? ?????????????? ? ?????? (?? ??????????????)</p> </td> </tr> <tr>
<td width="97" valign="top"> <p>Read</p> </td> <td width="588" valign="top">
<p>????????????? ????????? ?????????????? ????????? ?? ??????</p> </td> </tr> <tr> <td width="97"
valign="top"> <p>Write</p> </td> <td width="588" valign="top"> <p>????????????? ?????????
????????????? ????????? ? ??????</p> </td> </tr> <tr> <td width="97" valign="top">
<p>ReadWrite</p> </td> <td width="588" valign="top"> <p>????????? ????????? ? ??????</p>
</td> </tr> </table> <p></p> <p>????????????? ????????? ? ?????????????? ?????????? FileStream</p>
<table border="1" cellspacing="0" cellpadding="0" width="685"> <tr> <td valign="top"> <p
align="center">??????? / ????????????? </p> </td> <td valign="top"> <p align="center">????????????
</p> </td> <td width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Handle</p>
</td> <td valign="top"> <p>????????????? ?????????????????? ?????????????????? ?????????? ??? ??????
</p> </td> <td width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Position</p>
</td> <td valign="top"> <p>????????????? ?????????? ? ??????. ?????????????? ?????????? ?????????????? ?
????? ?????????? ? ?????? ?????? ? ?????? ?????????? Length</p> </td> <td
width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Lock</p> </td> <td
valign="top"> <p>????????????? ?????????? ? ?????? ??? ??? ?????? ?? ?????????? ?????????
?????????????</p> </td> <td width="0" height="21">◆</td> </tr> <tr> <td rowspan="2"
valign="top"> <p>Seek</p> </td> <td rowspan="2" valign="top"> <p>?????????????????????
????????????? ?????????? ?????????????? ?????????????? ??????????????????????
?????????????????????</p> </td>
```

14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????  
27.02.2009 14:44

???????????? Begin, ?urrent ??? End</p> </td> <td width="0" height="21">◆</td> </tr>  
<tr> <td width="0" height="21">◆</td> </tr> <tr> <td valign="top"> <p>Unlock</p>  
</td> <td valign="top"> <p>????????? ?????????????? ? ?????? ?????????????????????? ?????? ??????  
</p> </td> <td width="0" height="21">◆</td> </tr> </table> <p>????????? Length ?  
????????? Write, WriteByte, Read, ReadByte, Close ?????????????? ?????????? ?????????? Stream.  
????????? CanSeek ?????????? ?????? True ??? ?????????? ??????????</p> <p></p>  
<p><strong>?????? Environment</strong></p> <p>?????? Environment ?????????????? ??????????  
????????????? ?????????????? ??????. ??????? GetLogicalDrives ? GetFolderPath ??????????????  
????????????? ? ?????????????? ??????????</p> <p>????????????? CurrentDirectory ?????????????? ??????????  
??? ?????????????? ?????????? ?????? ? ?????????? ??? ??????????????. ??? ?????????????? ??????????  
????????????? ?????? ?????????????? ?????????????????? ?????, ?????????? ?????????? ◆..◆, ?????????????? ??  
????????????????? ??????????</p> <p></p> <p><strong>?????? Path</strong></p> <p>??????  
Path ?????????????????? ??? ?????????????? ?????? ?????????? </p> <p>????????????? ?????????? ? ??????????  
????????? Path</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td valign="top">  
<p align="center">???????????? / ??????</p> </td> <td valign="top"> <p  
align="center">???????????? </p> </td> </tr> <tr> <td valign="top">  
<p>DirectorySeparatorChar</p> </td> <td valign="top"> <p>????????-????????????????? ??????  
??? ?????????? ??????????????</p> </td> </tr> <tr> <td valign="top"> <p>InvalidPathChars</p>  
</td> <td valign="top"> <p>????????? ??????????, ?????????????????? ? ?????? ??????</p> </td>  
</tr> <tr> <td valign="top"> <p>ChangeExtension</p> </td> <td valign="top">  
<p>????????????? ?????????????? ?????? ? ?????????????? ?????? ???</p> </td> </tr> <tr> <td  
valign="top"> <p>GetDirectoryName</p> </td> <td valign="top"> <p>????????????? ?????? ?  
?????????, ? ?????????? ?????????????? ??????</p> </td> </tr> <tr> <td valign="top">  
<p>GetFileName</p> </td> <td valign="top"> <p>????????????? ??? ??????</p> </td> </tr>  
<tr> <td valign="top"> <p>GetExtension</p> </td> <td valign="top"> <p>?????????????  
????????????? ??????</p> </td> </tr> <tr> <td valign="top">  
<p>GetFileNameWithoutExtension </p> </td> <td valign="top"> <p>????????????? ???  
?????? ??? ??????????????</p> </td> </tr> <tr> <td valign="top"> <p>Combine</p> </td>  
<td valign="top"> <p>????????????? ?????? ? ?????? ?/??? ??????? ??????</p> </td> </tr>  
</table> <p><strong>◆</strong></p> <hr title="????????? ? ?????????????? ? ??????????"  
class="system-pagebreak" /><p><strong>????????? ? ?????????????? ? ??????????</strong></p>  
<p>? VB .NET ?????????????? ??? ??????? ??? ??????? ? ??????????????: Directory ? DirectoryInfo ?  
??? ??????? ??? ??????? ? ??????????: File ? FileInfo.</p> <p>????????? Directory ? File ??????????  
????????????????? ?? Object, ? ??????? DirectoryInfo ? FileInfo ?? ??????? FileSystemInfo ?  
????????????? ?????????? ???????, ?????????? ?????????????? ? ?? ??????? ?????????????? ??????  
????????????????? ??????????????</p> <p>?????? ?????????? Directory ? File ?????????????? ??????? ?  
????????????? ?????????????? ??? ?????????????? ??????????. ??? ??????????????????  
?????? ??????????</p> <p>????????????? ?????????? ?????????? Directory </p> <table border="1"  
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">??????</p> </td>  
<td valign="top"> <p align="center">???????????? </p> </td> </tr> <tr> <td valign="top">  
<p>CreateDirectory</p> </td> <td valign="top"> <p>????????? ?????????? ? ??????????  
????????? ? ?????????????????? ?????????? DirectoryInfo ??? ?????????????? ??????????. ??? ??????????????????  
????????????? ??? ?????????????????????? ??????</p> </td> </tr> <tr> <td valign="top">  
<p>Delete</p> </td> <td valign="top"> <p>????????? ?????????? ??????????. ??? ??????????  
??????, ?????????????? ??????? ??? ?????????????? ??????, ?????????? ?????????????????? ?????? Delete(???  
??????, True)</p> </td> </tr> <tr> <td valign="top"> <p>Exists</p> </td> <td

# 14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????  
27.02.2009 14:44

```
valign="top"> <p>???????????? ?????????? ?????????????????? ??????????</p> </td> </tr> <tr>
<td valign="top"> <p>GetCreationTime </p> </td> <td valign="top"> <p>????????????????
? ?????? ?????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>GetCurrentDirectory</p> </td> <td valign="top"> <p>????????????? ?????? ???? ?
????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>GetDirectories </p> </td>
<td valign="top"> <p>????????????? ?????? ? ?????????? ??????????????????. </p> </td>
</tr> <tr> <td valign="top"> <p>GetFiles</p> </td> <td valign="top"> <p>?????????????
???????? ?????? ? ?????????????? ??????? ??????????. </p> </td> </tr> <tr> <td valign="top">
<p>GetLastAccessTime </p> </td> <td valign="top"> <p>????????????? ?????? ??????????????
????????????? ? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>GetLastWriteTime </p>
</td> <td valign="top"> <p>????????????? ?????? ?????????????? ??????? ? ??????????</p> </td>
</tr> <tr> <td valign="top"> <p>GetLogicalDrives</p> </td> <td valign="top">
<p>????????????? ?????????????? ??????? ? ?????????? ?????????????? ??????? ? ??????????
◆?????:◆
(?????????, ?.)</p> </td> </tr> <tr> <td valign="top"> <p>Move</p> </td> <td
valign="top"> <p>????????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>SetCurrentDirectory </p> </td> <td valign="top"> <p>????????? ?????????? ??????????</p>
</td> </tr> </table> <p></p> <p>????????????? ?????????? ?????????? File </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">?????? </p>
</td> <td valign="top"> <p align="center">????????? </p> </td> </tr> <tr> <td
valign="top"> <p>Copy</p> </td> <td valign="top"> <p>????????????????? ??????</p> </td>
</tr> <tr> <td valign="top"> <p>GetAttributes</p> </td> <td valign="top">
<p>????????????????? ?????????????????? ?????????? ?????? (?????????, ?????????? ? ??.)</p> </td>
</tr> <tr> <td valign="top"> <p>SetAttributes</p> </td> <td valign="top"> <p>?????????
????????????? ??????</p> </td> </tr> </table> <p>????????? Exists, Delete, GetCreationTime,
GetLastAccessTime, GetLastWriteTime, Move ?????????????? ?????????? ?????????? Directory</p>
<p></p> <p><a name="6" title="6"></a>?????? FileSystemInfo ?????????? ?????????? ???
????????? DirectoryInfo ? FileInfo ? ?????????? ?????????? ??????? ?? ??????
?????????????????????</p> <p>????????????? ?????????? ? ?????????????? ??????????
FileSystemInfo</p>
<table border="1" cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p
align="center">?????? / ?????????? </p> </td> <td width="555" valign="top"> <p
align="center">????????? </p> </td> </tr> <tr> <td valign="top"> <p>Attributes</p> </td>
<td width="555" valign="top"> <p>????????????? ??????????</p> </td> </tr> <tr> <td
valign="top"> <p>CreationTime</p> </td> <td width="555" valign="top"> <p>?????????
????????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>Extension</p> </td> <td
width="555" valign="top"> <p>????????????????? ??????</p> </td> </tr> <tr> <td valign="top">
<p>FullName</p> </td> <td width="555" valign="top"> <p>????????? ??? ?????????????? ???
?????</p> </td> </tr> <tr> <td valign="top"> <p>Refresh</p> </td> <td width="555"
valign="top"> <p>????????????????? ?????????????? ??????????</p> </td> </tr> </table> <p>???
?????????, ??? ?????????????? ?????????????????? ?????????? DirectoryInfo ? FileInfo ?????????????????? ???
????????????? ??? ??????. ??????????</p> <p>Dim myDirectory As DirectoryInfo</p> <p>myDirectory
= New DirectoryInfo("C:TestDirectory")</p> <p>Dim currentDir As New DirectoryInfo(".")</p>
<p>????????????? ?????????? ? ?????????????? ?????????? DirectoryInfo </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">?????? / ??????????
</p> </td> <td valign="top"> <p align="center">????????? </p> </td> </tr> <tr> <td
valign="top"> <p>Exists</p> </td> <td valign="top"> <p>????????????????? ??????????
????????????????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>Name</p> </td>
```

# 14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????  
27.02.2009 14:44

```
<td valign="top"> <p>??? ?????????</p> </td> </tr> <tr> <td valign="top">
<p>Parent</p> </td> <td valign="top"> <p>?????? DirectoryInfo ??? ??????????????
????????? (??? ?????????? ?????????? ?????????????? Nothing)</p> </td> </tr> <tr> <td
valign="top"> <p>Create</p> </td> <td valign="top"> <p>???????? ?????????</p> </td>
</tr> <tr> <td valign="top"> <p>Delete</p> </td> <td valign="top"> <p>???????? ?????????
????????</p> </td> </tr> <tr> <td valign="top"> <p>GetDirectories</p> </td> <td
valign="top"> <p>????????????? ??????? ?????????? DirectoryInfo ??? ?????????????????? </p>
</td> </tr> <tr> <td valign="top"> <p>GetFiles </p> </td> <td valign="top">
<p>????????????? ??????? ?????????? FileInfo ??? ??????? ?????????? ??????????</p> </td>
</tr> </table> <p>????????? ??????? ? ?????????? ??????? FileInfo </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">????? / ??????????
</p> </td> <td width="546" valign="top"> <p align="center">????????? </p> </td> </tr>
<tr> <td valign="top"> <p>Directory</p> </td> <td width="546" valign="top"> <p>????????
DirectoryInfo ??? ??????????, ? ?????????? ?????????? ?????</p> </td> </tr> <tr> <td
valign="top"> <p>DirectoryName</p> </td> <td width="546" valign="top"> <p>????????
????? ? ??????? ? ?????????? ?????</p> </td> </tr> <tr> <td valign="top"> <p>CopyTo</p>
</td> <td width="546" valign="top"> <p>????????? ????? ? ?????????????? ??????? FileInfo ???
?????</p> </td> </tr> <tr> <td valign="top"> <p>Create</p> </td> <td width="546"
valign="top"> <p>????????? ????? ?? ?????</p> </td> </tr> <tr> <td valign="top">
<p>MoveTo</p> </td> <td width="546" valign="top"> <p>????????????? ?????</p> </td>
</tr> </table> <p><a name="13" title="13"></a>◆</p> <p><strong>????? ?????????</strong></p>
<p>????? ??????? ?????? ??????:</p> <p>1.◆????????????? ?????? (????? ?????????????????????
????????). ??????? ?? ?????? ??????? ??????, ?????????????? ????? ?? ?????? ??????
????????????????? ??????????? - ?????????? ?????????? ? ?????????? ???????.</p>
<p>2.◆????????????????????? (???????????) ?????? (?????? ?????????????????? (?????????) ?????????).
????????? ?? ??????? ?????????? ?????????????? ??????.</p> <p>3.◆????????????????????? ??????.
????????????????? ? ?????? ??????? ?????????, ?? ?????????????????? ?? ? ?????? ??????????????
?????????????.</p> <p></p> <p></p><table border="0" cellspacing="0" cellpadding="0"> <tr>
<td width="138" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td> <p align="right">Files/TextFiles</p>
</td> </tr> </table> ◆</td> </tr> </table> <strong>????????? ? ??????????????
?????????</strong> <p>? ??????? ?????????, ?????? ?????????????? ?????????, ?? ?????? ?????????? ?
?????-?? ?????? ??????? - ?????????? ?????????? ??? ??????? ?????????????? FileOpen:</p>
<p>FileOpen(filenumber, filename, workmode)</p> <p>???, filename - ??? ??? ?????? ??
?????,</p> <p>filenumber - ?????? ?????????????????? ?????????? ??????,</p> <p>workmode -
?????? ??????? (OpenMode.Input (??? ???????), OpenMode.Output (??? ???????),
OpenMode.Append (??? ??????????????)).</p> <p>????????? ?? ??????:</p> <p>?????????
LineInput(filenumber) ??????????? ?????????????? ??????? ?? ?????????? ??????.</p> <p>?????????????
Input(filenumber,◆variable) ?????????????? ?????????????, ?????????????????? ??????????.</p> <p>????????? ?
?????:</p> <p>????????????? Print(filenumber, var) ? PrintLine(filenumber, var) ?????????? ?????????
????????? ?? ?????????????? var ? ?????? ? ?????????? filenumber. PrintLine ?????????????? ?? Print ???,
??? ?????????????? ?????? ?????????????? var ?????????? ?????????? ? ?????????? ??????????</p> <p>???
????????????? ?????? ?????????????????? ?????????????? FileClose(filenumber).</p> <p>??????????
EOF(filenumber) ?????????????? True, ?????? ?????????????? ?????? ??????.</p> <p>? ??????????????????
????? SystemIO ?????????????????? ?????????????????? ??????? ?? ?????????? ? ?????????? ??????????????
?????????:
StreamReader ? StreamWriter.</p> <p></p> <p></p><table border="0" cellspacing="0"
```

# 14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????  
27.02.2009 14:44

```
cellpadding="0"> <tr> <td width="138" height="42" bgcolor="#dddddd"> <table border="0"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p
align="right">Files/BinaryFiles</p> </td> </tr> </table> ◆</td> </tr> </table>
<strong>?????? ? ?????????????????? ???????</strong> <p>????????????????? ?????? ???
????? ??????? ??????? ??????? ?? ?????? ?????????????? ???????, ??? ?????????? ?????? ?
????????????? ?? ??????. ?????? ???????????, ??????????, ?????????? ?????? ??????. ??????????
????? ?????? ?????????????? ?????? ?????????????? ? ?????????????? ?????????????? ??? ???, ?????
?????????, ??????????.</p> <p>????? ??????? ?????????????????? ?????? ?????????????? ?
????????????? FileOpen ??????? ?????? ?????? OpenMode.Random (?????? ? ???????) ?
?????? ?????????? ??????????? RecordLength (?????? ??????? ? ???????):</p>
<p>FileOpen(filename, filename, workmode , , RecordLength)</p> <p>?????? ?? ??????:
?????????? FileGetObject(filename,var,recnumber)</p> <p>?????? ? ?????: ???????????
FilePutObject(filename,var,recnumber)</p> <p>??? recnumber - ?????? ??????. ???????????
????????????? ? 1, ?? ??????????? ?????????? ??????????????? ? ??????? ??????????.</p>
<p>????????? Space(K) ?????????????? ???????, ??????????? ?? ? ??????????. ?????? ???????????
?????? S ?? ?????? N, ?????????????????? ??????????? S +Space(N-Len(S))</p> <p>????????? LOF
????????????? ?????? ?????? ? ??????. ?????????? ??????????? ?????????? ?? ?????? ???????
?????? ?????????? ?????????????? ??????????.</p> <p>??? ?????? ? ?????? ?????????? ???????
????????????? ?????????????? ??????? BinaryReader ? BinaryWriter. </p> <p> </p> <p>
</p><table border="0" cellspacing="0" cellpadding="0"> <tr> <td width="162" height="42"
bgcolor="#dddddd"> <table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr>
<td> <p align="right">Files/RandomFiles</p> </td> </tr> </table> ◆</td> </tr>
</table> <strong>?????? ? ?????????????????????? ?????????</strong> <p>?????? ?
????????????????????? ??????? ?????? ??????? ?? ?????? ? ??????? ?????????? ?????????? ?
????????? ?????????? ?????????? ?????? ?????????? OpenMode.Binary, ? ??????? ?
?????? ?????????????????? ??? ?????? ?????????? FileGetObject ? FilePutObject. ??? ?????
????????? ?????????????? recnumber ?????????? ?? ?????? ??????, ? ?????????? ? ??????? ??
?????? ??????. ?????? ??????? ??????? ?????? ?????????? 1. ?????? ?????????? ??????-?????
??????, ?????????????? ?????????? ?? ??????, ?????????????????????? ??????????.</p> <p>???
????? ?????? ?????????????????? ??? ??????????????????????. ??????? ?????????????????? ??????? ???
?????? ? ??? ??????, ???? ?????? ?????????? ?? ?????? ?????????? ??????????, ? ?????? ??????
?? ?????? ??????????????.</p> <p> </p>
```