

Автор: ??????????????
27.02.2009 14:44

```

<p align="center"> </p><table border="0" cellspacing="0" cellpadding="0"> <tr> <td
width="138" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td> <p align="right">Files/FileSystem</p>
</td> </tr> </table> ◆</td> </tr> </table> <strong>?????? ??????. ?????? ?
??????</strong> <p> </p> <p>? .NET Framework - ??????????? ?????????? ??????????
???????, ?? ??????????? ?? ??????????. ??? ???? ?????? ?????????? (stream),
?????????? ?? ??????? ?????? ??? ???? ?????????????? ? ??? ???? ?????. ????? - ???
?????????, ????????????? ?????????? ??????? ? ??????, ?????????? ??????, ?????????????
?? ?????, ??????? ? ????????? ??????</p> <p> </p> <p><strong>?????? Stream</strong></p>
<p>????????????? ?????????? ??????-?????? ?????????????? ? ??????????????? ??? SystemIO.
??? ?????????????? ??? ?????????? ?????????????????? ?????????????? ?????? Stream.</p>
<p>?????????? ??????, ?????????????? ?? Stream</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="145" valign="top"> <p align="center">????? </p> </td>
<td width="540" valign="top"> <p align="center">????????? </p> </td> </tr> <tr> <td
width="145" valign="top"> <p>FileStream </p> </td> <td width="540" valign="top">
<p>?????? ? ?????? </p> </td> </tr> <tr> <td width="145" valign="top">
<p>MemoryStream </p> </td> <td width="540" valign="top"> <p>????? ?????? (?????
?????????????? ?? ?????? ? ??????????)</p> </td> </tr> <tr> <td width="145" valign="top">
<p>NetworkStream</p> </td> <td width="540" valign="top"> <p>??????, ?????????????? ?
????? ?????? ?? ?????????? ??????????????</p> </td> </tr> </table> <p>????????? ?????????? ?
?????? ?????????? Stream:</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td
valign="top"> <p align="center">????? / ?????????? </p> </td> <td valign="top"> <p
align="center">????????? </p> </td> </tr> <tr> <td valign="top"> <p>CanRead</p> </td>
<td valign="top"> <p>????????? ?????????? ??????</p> </td> </tr> <tr> <td valign="top">
<p>CanWrite</p> </td> <td valign="top"> <p>????????? ?????????? ??????</p> </td>
</tr> <tr> <td valign="top"> <p>CanSeek</p> </td> <td valign="top"> <p>?????????
????????????? ?????????????? ? ??????</p> </td> </tr> <tr> <td valign="top"> <p>Read</p>
</td> <td valign="top"> <p>?????? ?????????????? ?????????????? ??????, ?????????? ? ??????????
?????????. ?????????????? ?????????????? ?????????? ?????????????????? ??????</p> </td> </tr> <tr>
<td valign="top"> <p>ReadByte</p> </td> <td valign="top"> <p>?????? ??????????????
?????. ??? ?????????? ?????????? ?????????????? ? ?????? ??????, ?????????????? -1</p> </td> </tr>
<tr> <td valign="top"> <p>Write</p> </td> <td valign="top"> <p>?????? ??????????????
????????????? ?????????? ?????????? ? ?????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>WriteByte</p> </td> <td valign="top"> <p>?????? ?????????????? ??????</p> </td> </tr>
<tr> <td valign="top"> <p>Length</p> </td> <td valign="top"> <p>????? ?????? ?
????????</p> </td> </tr> <tr> <td valign="top"> <p>Position</p> </td> <td valign="top">
<p>????????? ? ?????????? ??????</p> </td> </tr> <tr> <td valign="top"> <p>Flush</p>
</td> <td valign="top"> <p>?????? ?????? ? ?????????? ??? ??????, ??????????????????
?????????</p> </td> </tr> <tr> <td valign="top"> <p>Close</p> </td> <td valign="top">
<p>????????? ?????? ? ?????????????? ?????????????????? ?????????? </p> </td> </tr> </table> <p>
</p> <p><strong>?????? FileStream</strong></p> <p>????? - ?????????? ?????????? ??????????
?????????, ?????????????????????? ??? ?????????? ??????????????. ??? ?????????? ??? ?????????/?????????
????? ?????????????? ??????????</p> <p>?????? FileStream ?????????????????? ??? ??????????,
????????, ??????? ? ?????????? ??????. ??? ?????????? ?????? ??? ?????????? ??????? ??????
????????? ??????? ??????? FileStream</p> <p>FileStream(ByVal strFileName As String, ByVal
fm As FileMode, ByVal fa As FileAccess, ByVal fs As FileShare)</p> <p>???, strFileName

```

14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????
27.02.2009 14:44

```
???????????? ???? ??????;</p> <p>FileMode ???????????? ?????????? ? ?????????;</p>
<p>???????????????? FileMode</p> <table border="1" cellspacing="0" cellpadding="0"> <tr>
<td width="121" valign="top"> <p align="center">??????????</p> </td> <td width="564"
valign="top"> <p align="center">??????????</p> </td> </tr> <tr> <td width="121"
valign="top"> <p>CreateNew</p> </td> <td width="564" valign="top"> <p>????????? ?????.
????????, ????? ????? ??????????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>Create</p> </td> <td width="564" valign="top"> <p>????????? ?????. ????? ?????
?????????????, ??? ?????????????? ?????????????</p> </td> </tr> <tr> <td width="121"
valign="top"> <p>Open</p> </td> <td width="564" valign="top"> <p>????????? ?????.
????????, ????? ????? ?? ??????????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>OpenOrCreate</p> </td> <td width="564" valign="top"> <p>????????? ?????. ????? ??????
?? ??????????????, ??????????</p> </td> </tr> <tr> <td width="121" valign="top">
<p>Append</p> </td> <td width="564" valign="top"> <p>????????????? ?????????????? ? ??????
???????. ?????????? ????? ????? ?? ??????????????</p> </td> </tr> </table> <p>FileAccess
????????????? ?????? ?????????? ? ??????;</p> <p>????????????????? FileAccess</p> <table
border="1" cellspacing="0" cellpadding="0"> <tr> <td width="97" valign="top"> <p
align="center">??????????</p> </td> <td width="588" valign="top"> <p
align="center">??????????</p> </td> </tr> <tr> <td width="97" valign="top"> <p>Read</p>
</td> <td width="588" valign="top"> <p>????????? ??? ???????</p> </td> </tr> <tr> <td
width="97" valign="top"> <p>Write</p> </td> <td width="588" valign="top"> <p>?????????
??? ???????</p> </td> </tr> <tr> <td width="97" valign="top"> <p>ReadWrite</p> </td>
<td width="588" valign="top"> <p>????????? ??? ??????? ? ??????? (?? ??????????????)</p>
</td> </tr> </table> <p>FileShare ???????????? ?????????? ?????? ??????????????????
????????? ?
??????.</p> <p>????????????????? FileShare</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="97" valign="top"> <p align="center">??????????</p> </td>
<td width="588" valign="top"> <p align="center">??????????</p> </td> </tr> <tr> <td
width="97" valign="top"> <p>None</p> </td> <td width="588" valign="top">
<p>????????????? ??????? ??????? ?????????????? ?????????? ? ?????? (?? ??????????????)</p>
</td> </tr> <tr> <td width="97" valign="top"> <p>Read</p> </td> <td width="588" valign="top">
<p>????????????? ??????? ?????????????? ?????????? ?? ??????</p> </td> </tr> <tr> <td width="97"
valign="top"> <p>Write</p> </td> <td width="588" valign="top"> <p>????????????? ???????
????????????? ??????? ? ??????</p> </td> </tr> <tr> <td width="97" valign="top">
<p>ReadWrite</p> </td> <td width="588" valign="top"> <p>????????? ??????? ? ??????</p>
</td> </tr> </table> <p></p> <p>????????????? ??????? ? ?????????? ?????????? FileStream</p>
<table border="1" cellspacing="0" cellpadding="0" width="685"> <tr> <td valign="top"> <p
align="center">?????? / ??????????</p> </td> <td valign="top"> <p align="center">??????????
</p> </td> <td width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Handle</p>
</td> <td valign="top"> <p>?????????? ?????????????? ?????????????????? ??????????
???? ??????
</p> </td> <td width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Position</p>
</td> <td valign="top"> <p>????????? ?????????? ? ??????. ?????????????? ??????????
????????????? ?
?????. ?????????? ? ?????? ?????? ?????? ? ?????????? ?????????? Length</p> </td> <td
width="0"><p></p></td> </tr> <tr> <td valign="top"> <p>Lock</p> </td> <td
valign="top"> <p>????????????? ?????????? ? ?????? ??? ??? ?????? ?? ?????????? ???????
?????????????</p> </td> <td width="0" height="21">◆</td> </tr> <tr> <td rowspan="2"
valign="top"> <p>Seek</p> </td> <td rowspan="2" valign="top"> <p>?????????????????
?????????????
????????????? ?????????? ?????????? ?????????? ?????????? ?????????? ??????????
?????????????</p> </td> </tr>
```


14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????
27.02.2009 14:44

```
valign="top"> <p>???????????? ?????????? ?????????????????? ??????????</p> </td> </tr> <tr>
<td valign="top"> <p>GetCreationTime </p> </td> <td valign="top"> <p>????????????????
? ?????? ?????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>GetCurrentDirectory</p> </td> <td valign="top"> <p>????????????? ?????? ???? ?
????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>GetDirectories </p> </td>
<td valign="top"> <p>????????????? ?????? ? ?????????? ??????????????????. </p> </td>
</tr> <tr> <td valign="top"> <p>GetFiles</p> </td> <td valign="top"> <p>?????????????
???????? ?????? ? ?????????????? ??????? ??????????. </p> </td> </tr> <tr> <td valign="top">
<p>GetLastAccessTime </p> </td> <td valign="top"> <p>????????????? ?????? ??????????????
????????????? ? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>GetLastWriteTime </p>
</td> <td valign="top"> <p>????????????? ?????? ?????????????? ??????? ? ??????????</p> </td>
</tr> <tr> <td valign="top"> <p>GetLogicalDrives</p> </td> <td valign="top">
<p>????????????? ?????????????? ??????? ? ?????????? ?????????????? ??????? ? ??????????
◆?????:◆
(?????????, ?.)</p> </td> </tr> <tr> <td valign="top"> <p>Move</p> </td> <td
valign="top"> <p>????????????? ??????????</p> </td> </tr> <tr> <td valign="top">
<p>SetCurrentDirectory </p> </td> <td valign="top"> <p>????????? ?????????? ??????????</p>
</td> </tr> </table> <p></p> <p>????????????? ?????????? ?????????? File </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">?????? </p>
</td> <td valign="top"> <p align="center">????????? </p> </td> </tr> <tr> <td
valign="top"> <p>Copy</p> </td> <td valign="top"> <p>????????????????? ??????</p> </td>
</tr> <tr> <td valign="top"> <p>GetAttributes</p> </td> <td valign="top">
<p>????????????????? ?????????????????? ?????????? ?????? (?????????, ?????????? ? ??.)</p> </td>
</tr> <tr> <td valign="top"> <p>SetAttributes</p> </td> <td valign="top"> <p>?????????
????????????? ??????</p> </td> </tr> </table> <p>????????? Exists, Delete, GetCreationTime,
GetLastAccessTime, GetLastWriteTime, Move ?????????????? ?????????? ?????????? Directory</p>
<p></p> <p><a name="6" title="6"></a>?????? FileSystemInfo ?????????? ?????????? ???
????????? DirectoryInfo ? FileInfo ? ?????????? ?????????? ??????? ?? ??????
?????????????????????</p> <p>????????????? ?????????? ? ?????????????? ??????????
FileSystemInfo</p>
<table border="1" cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p
align="center">?????? / ?????????? </p> </td> <td width="555" valign="top"> <p
align="center">????????? </p> </td> </tr> <tr> <td valign="top"> <p>Attributes</p> </td>
<td width="555" valign="top"> <p>????????????? ??????????</p> </td> </tr> <tr> <td
valign="top"> <p>CreationTime</p> </td> <td width="555" valign="top"> <p>?????????
????????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>Extension</p> </td> <td
width="555" valign="top"> <p>????????????????? ??????</p> </td> </tr> <tr> <td valign="top">
<p>FullName</p> </td> <td width="555" valign="top"> <p>????????? ??? ?????????????? ???
??????</p> </td> </tr> <tr> <td valign="top"> <p>Refresh</p> </td> <td width="555"
valign="top"> <p>????????????????? ?????????????? ??????????</p> </td> </tr> </table> <p>???
?????????, ??? ?????????????? ?????????????????? ?????????? DirectoryInfo ? FileInfo ?????????????????? ???
????????????? ??? ??????. ??????????</p> <p>Dim myDirectory As DirectoryInfo</p> <p>myDirectory
= New DirectoryInfo("C:TestDirectory")</p> <p>Dim currentDir As New DirectoryInfo(".")</p>
<p>????????????? ?????????? ? ?????????????? ?????????? DirectoryInfo </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">?????? / ??????????????
</p> </td> <td valign="top"> <p align="center">????????????? </p> </td> </tr> <tr> <td
valign="top"> <p>Exists</p> </td> <td valign="top"> <p>????????????????? ??????????
????????????????????? ??????????</p> </td> </tr> <tr> <td valign="top"> <p>Name</p> </td>
```

14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????
27.02.2009 14:44

```
<td valign="top"> <p>??? ?????????</p> </td> </tr> <tr> <td valign="top">
<p>Parent</p> </td> <td valign="top"> <p>?????? DirectoryInfo ??? ??????????????
????????? (??? ?????????? ?????????? ?????????????? Nothing)</p> </td> </tr> <tr> <td
valign="top"> <p>Create</p> </td> <td valign="top"> <p>???????? ?????????</p> </td>
</tr> <tr> <td valign="top"> <p>Delete</p> </td> <td valign="top"> <p>????????? ???????
????????</p> </td> </tr> <tr> <td valign="top"> <p>GetDirectories</p> </td> <td
valign="top"> <p>????????????? ??????? ?????????? DirectoryInfo ??? ?????????????????? </p>
</td> </tr> <tr> <td valign="top"> <p>GetFiles </p> </td> <td valign="top">
<p>????????????? ??????? ?????????? FileInfo ??? ??????? ?????????? ??????????</p> </td>
</tr> </table> <p>????????? ??????? ? ?????????? ??????? FileInfo </p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td valign="top"> <p align="center">????? / ??????????
</p> </td> <td width="546" valign="top"> <p align="center">????????? </p> </td> </tr>
<tr> <td valign="top"> <p>Directory</p> </td> <td width="546" valign="top"> <p>???????
DirectoryInfo ??? ??????????, ? ?????????? ?????????? ?????</p> </td> </tr> <tr> <td
valign="top"> <p>DirectoryName</p> </td> <td width="546" valign="top"> <p>???????
????? ? ?????? ? ?????????? ?????</p> </td> </tr> <tr> <td valign="top"> <p>CopyTo</p>
</td> <td width="546" valign="top"> <p>????????? ????? ? ?????????????? ?????? FileInfo ???
?????</p> </td> </tr> <tr> <td valign="top"> <p>Create</p> </td> <td width="546"
valign="top"> <p>????????? ????? ?? ?????</p> </td> </tr> <tr> <td valign="top">
<p>MoveTo</p> </td> <td width="546" valign="top"> <p>????????????? ?????</p> </td>
</tr> </table> <p><a name="13" title="13"></a>◆</p> <p><strong>????? ?????????</strong></p>
<p>????? ??????? ?????? ??????:</p> <p>1.◆????????????? ?????? (????? ?????????????????????
????????). ??????? ?? ?????? ??????? ??????, ?????????????? ????? ?? ?????? ??????
????????????????? ??????????? - ?????????? ?????????? ? ?????????? ???????.</p>
<p>2.◆????????????????????? (???????????) ?????? (?????? ?????????????????? (?????????) ?????????).
????????? ?? ??????? ?????????? ?????????????? ??????.</p> <p>3.◆????????????????????? ??????.
????????????????? ? ?????? ??????? ????????, ?? ?????????????????? ?? ? ?????? ??????????????
?????????????.</p> <p></p> <p></p><table border="0" cellspacing="0" cellpadding="0"> <tr>
<td width="138" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td> <p align="right">Files/TextFiles</p>
</td> </tr> </table> ◆</td> </tr> </table> <strong>????????? ? ??????????????
?????????</strong> <p>? ??????? ?????????, ???? ?????????????? ?????????, ?? ?????? ?????????? ?
?????-?? ?????? ??????? - ?????????? ?????????? ??? ??????? ?????????????? FileOpen:</p>
<p>FileOpen(filenumber, filename, workmode)</p> <p>???, filename - ??? ??? ?????? ??
?????,</p> <p>filenumber - ?????? ?????????????????? ?????????? ??????,</p> <p>workmode -
?????? ??????? (OpenMode.Input (??? ???????), OpenMode.Output (??? ???????),
OpenMode.Append (??? ??????????????)).</p> <p>????????? ?? ??????:</p> <p>?????????
LineInput(filenumber) ??????????? ?????????????? ??????? ?? ?????????? ??????.</p> <p>?????????????
Input(filenumber,◆variable) ?????????????? ?????????????, ?????????????????? ??????????.</p> <p>????????? ?
?????:</p> <p>????????????? Print(filenumber, var) ? PrintLine(filenumber, var) ?????????? ?????????
????????? ?? ?????????????? var ? ?????? ? ?????????? filenumber. PrintLine ?????????????? ?? Print ???,
??? ?????????????? ?????? ?????????????? var ?????????? ?????????? ? ?????????? ??????????</p> <p>???
????????????? ?????? ?????????????????? ?????????????? FileClose(filenumber).</p> <p>?????????
EOF(filenumber) ?????????????? True, ?????? ?????????????? ?????? ??????.</p> <p>? ??????????????????
????? SystemIO ?????????????????? ?????????????????? ??????? ?? ??????? ? ??????? ?????????????? ?????????:
StreamReader ? StreamWriter.</p> <p></p> <p></p><table border="0" cellspacing="0"
```

14. ????? - ITYourself! - компьютерная документация, книги, мануалы, it-тематика

Автор: ??????????????
27.02.2009 14:44

```
cellpadding="0"> <tr> <td width="138" height="42" bgcolor="#dddddd"> <table border="0"
cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p
align="right">Files/BinaryFiles</p> </td> </tr> </table> ◆</td> </tr> </table>
<strong>????? ? ?????????????????? ???????</strong> <p>????????????????? ?????? ???
????? ?????????? ?????????? ?????????? ?? ??????? ?????????????? ?????????, ??? ?????????? ?????? ?
?????????????? ?? ??????. ?????? ????????????, ??????????, ?????????? ?????? ????????. ?????????? ?
????? ?????? ??????????????? ?????? ?????????????? ? ??????????????? ??????????????? ??? ???, ?????
??????????, ??????????.</p> <p>????? ?????????? ?????????????????? ?????? ?????????????? ?
????????????? FileOpen ?????????? ?????? ??????? OpenMode.Random (???????? ? ???????) ?
????????? ?????????? ?????????????? RecordLength (???????? ??????? ? ???????):</p>
<p>FileOpen(filename, filename, workmode , , RecordLength)</p> <p>????????? ?? ??????:
????????????? FileGetObject(filename,var,recnumber)</p> <p>????????? ? ?????: ??????????????
FilePutObject(filename,var,recnumber)</p> <p>??? recnumber - ?????? ????????. ??????????????
????????????? ? 1, ?? ?????????????? ?????????????? ?????????????????? ? ?????????? ??????????.</p>
<p>????????? Space(K) ?????????????? ????????, ?????????????? ?? ? ??????????. ?????? ?????????????
??????? S ?? ?????? N, ?????????????????? ?????????????? S +Space(N-Len(S))</p> <p>????????? LOF
?????????????? ?????? ?????? ? ????????. ??????????? ?????????????? ??????????? ?? ??????? ?????????
?????? ??????????? ?????????????? ??????????.</p> <p>??? ??????? ? ??????? ??????????? ???????
?????????????? ??????????????? ??????? BinaryReader ? BinaryWriter. </p> <p> </p> <p>
</p><table border="0" cellspacing="0" cellpadding="0"> <tr> <td width="162" height="42"
bgcolor="#dddddd"> <table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr>
<td> <p align="right">Files/RandomFiles</p> </td> </tr> </table> ◆</td> </tr>
</table> <strong>??????? ? ?????????????????????????????? ?????????</strong> <p>????????? ?
????????????????????????????? ?????????? ?????? ?????????? ?? ?????????? ?????????? ?????????? ??????????. ?
?????????? ?????????? ?????????? ??? ??????????? ?????? ?????????????????? OpenMode.Binary, ? ?????????? ?
????????? ??????????????????? ??? ?????????? ??????????? FileGetObject ? FilePutObject. ??? ??????
????????????? ?????????????? recnumber ??????????? ?? ??????? ?????????, ? ??????????? ? ?????????? ??
????????? ??????. ?????? ?????????? ?????????? ??????? ?????????????? 1. ?????? ?????????????? ??????-?????
????????, ??????????????? ??????????? ??? ???????, ?????????????????????? ??????????????.</p> <p>???
?????? ?????? ?????????????????????? ??? ??????????????????????. ?????????? ?????????????????????? ?????????? ???
????????? ? ??? ?????????, ?????? ?????? ?????????? ?? ?????? ?????????????? ???????????, ? ?????????? ??????
?? ?????? ??????????????????.</p> <p> </p>
```