

Автор: ITAuthor
27.02.2009 14:34

<p align="center">????????????? ?????????? ?????????????</p> <p> </p>
<p>????????? ?????????? - ??? ????????, ?? ?????? ?????????? ?????????? ???????????.
??? ?????? ?????? ?????????? ?????? ?????????????? ?????? Windows. ? ????? .NET ???
????????? ?????????? ?????????? ?? ?????? ?????????? ?????????? ?????????? (Toolbox). ??????
????????? ?????????? ???????.</p> <p>????????? ?????? Toolbox</p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td width="139" valign="top"> <p
align="center">????????? ???????</p> </td> <td width="559" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="139" valign="top"> <p>Data</p>
<td width="559" valign="top"> <p>????????? ?????????? ??? ?????? ? ?????? ? ??????
?????????</p> </td> </tr> <td width="139" valign="top"> <p>Components</p> </td>
<td width="559" valign="top"> <p>????????? ?????????? ?????? ?????????? ??????
????????? (? ?? ??? ?????????? ??????????)</p> </td> </tr> <tr> <td width="139"
valign="top"> <p>Clipboard Ring</p> </td> <td width="559" valign="top"> <p>12
????????? ?????????? ??????, ?????????? ? ??? ?????? ??????</p> </td> </tr> <tr> <td
width="139" valign="top"> <p>Windows Forms</p> </td> <td width="559" valign="top">
<p>????????? ?????????? ??? ?????????? Windows-?????????</p> </td> </tr> <tr>
<td width="139" valign="top"> <p>General</p> </td> <td width="559" valign="top">
<p>????????? ??????????, ?????????? ??????????????</p> </td> </tr> <tr> <td
width="139" valign="top"> <p>HTML</p> </td> <td width="559" valign="top">
<p>????????? ?????? ??? ?????????????? HTML-?????????; ?????????? ??????????
?????????, ?????????????? ? ???-?????????</p> </td> </tr> <tr> <td width="139"
valign="top"> <p>XML Schema</p> </td> <td width="559" valign="top">
<p>????????????? ??? ?????? XML Designer</p> </td> </tr> <tr> <td width="139"
valign="top"> <p>Web Forms</p> </td> <td width="559" valign="top"> <p>?????????
????????? ??? ?????? web-????</p> </td> </tr> </table> <p> </p> <hr title="Label"
class="system-pagebreak" /><p>Label</p> <p> </p><table border="0"
cellspacing="0" cellpadding="0"> <tr> <td width="234" height="42" bgcolor="#dddddd">
<table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p
align="right">????????? ?????????? / Label</p> </td> </tr> </table> ♦</td> </tr>
</table> Label (????????) ?????????? ??? ?????????? ?????? ??????. ?????????? ??? ??????
????????? ??? ?????? ??????. <p>????????? ??????????</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="103" valign="top"> <p align="center">?????????</p> </td>
<td width="595" valign="top"> <p align="center">?????????????</p> </td> </tr> <tr> <td
width="103" valign="top"> <p>Text</p> </td> <td width="595" valign="top"> <p>?????,
?????? ?????? ?????????????? ?? ?????</p> </td> </tr> <tr> <td width="103" valign="top">
<p>AutoSize</p> </td> <td width="595" valign="top"> <p>????? ?????????? ??????
????????? True, ?????? ?????????????? ?????? ?????? ??????, ? ?????????? ??
??????????.</p> </td> </tr> <tr> <td width="103" valign="top"> <p>BorderStyle</p>
</td> <td width="595" valign="top"> <p>??? ?????? ??????</p> </td> </tr> <tr> <td
width="103" valign="top"> <p>TextAlign</p> </td> <td width="595" valign="top">
<p>????????????? ??????.</p> <p>Left - ?? ?????? ???</p> <p>Right - ?? ??????
?????;</p> <p>Center - ?? ??????.</p> </td> </tr> <tr> <td width="103" valign="top">
<p>Font</p> </td> <td width="595" valign="top"> <p>???, ?????? ? ?????? ??????
??????:</p> <p>Name - ??? ?????? (????????, Times New Roman)</p> <p>Size -
????? ??????</p> <p>Bold - ?????????? ?????? ?????? ??????</p> <p>Italic -
????????? ?????? ??????</p> <p>Strikeout - ?????????? ?????? ??????????????

Автор: ITAuthor

27.02.2009 14:34

??????</p> </td> </tr> </table> <p>??? ?????????? ?????????? Text ? ?????????? ??????????
?????????????: Label1.Text = ◆????? ?????????? ?????????◆.</p> <p> </p> <hr
title="LinkLabel" class="system-pagebreak" /><p>LinkLabel</p>
<p>????????? ?????????? ???????, ?????????? ???????????.</p> <p>?????????</p>
<table border="1" cellspacing="0" cellpadding="0"> <tr> <td width="127" valign="top"> <p
align="center">?????????</p> </td> <td width="571" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="127" valign="top">
<p>LinkArea</p> </td> <td width="571" valign="top"> <p>????????? ?????? ??????????
????????? ???????????. ?? ??? ?????? ?????? ??????????????, ? ?????? ??????.</p> </td>
</tr> </table> <p>???????? LinkClicked ?????????? ??? ?????? ?????? ?? ??????????????.</p>
<p> </p> <hr title="TextBox" class="system-pagebreak" /><p>TextBox</p>
<p>TextBox (????????? ????) ?????????? ??? ???????????, ?????? ? ??????????????
?????.</p> <p>????????? ?????????? ??????</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="127" valign="top"> <p align="center">?????????</p> </td>
<td width="571" valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td
width="127" valign="top"> <p>Text</p> </td> <td width="571" valign="top"> <p>?????,
????????? ?????? ?????????? ? ???</p> </td> </tr> <tr> <td width="127" valign="top">
<p>Multiline</p> </td> <td width="571" valign="top"> <p>????????? ?? ?????????? ?
????????? ??? ?????????? ?????? ??????????????</p> </td> </tr> <tr> <td width="127"
valign="top"> <p>Enabled</p> </td> <td width="571" valign="top"> <p>????? ??
????????????? ???</p> </td> </tr> <tr> <td width="127" valign="top">
<p>ScrollBars</p> </td> <td width="571" valign="top"> <p>????????? ???
?????????.</p> <p>None - ??? ??? ????? ?????????? (?? ??????????);</p> <p>Vertical -
????????????? ??? ????? ??????????;</p> <p>Horizontal - ?????????????? ???
?????????;</p> <p>Both - ??? ????: ? ??????????????, ? ??????????????.</p> </td>
</tr> <tr> <td width="127" valign="top"> <p>MaxLength</p> </td> <td width="571"
valign="top"> <p>????? ?????? ?????????? ????.</p> </td> </tr> <tr> <td width="127"
valign="top"> <p>PasswordChar</p> </td> <td width="571" valign="top"> <p>?????,
????????? ? ?????????? ?????? ?????? ?????? ?????? ?????????????? ?????? ??????????,
????????? ? ???????????.</p> </td> </tr> <tr> <td width="127" valign="top">
<p>Anchor</p> </td> <td width="571" valign="top"> <p>????????? ?????????? ???
????????? ??? ? ?????? ?????? ???????????, ?? ?????? ??? ??????????</p> </td>
</tr> <tr> <td width="127" valign="top"> <p>CharacterCasing</p> </td> <td width="571"
valign="top"> <p>????????????? ?????????????? ?????? ??????????:</p> <p>Normal
- ?????? ?????? ?? ?????????? ?????????????? ??????????????</p> <p>Upper - ?????? ???
????????? ? ?????????? ??????????</p> <p>Lower - ?????? ??? ?????????? ?
????????? ??????????</p> </td> </tr> <tr> <td width="127" valign="top">
<p>SelectionStart</p> </td> <td width="571" valign="top"> <p>?????? ??????????
?????? ?????? ??? ?????? ??????</p> </td> </tr> <tr> <td width="127"
valign="top"> <p>SelectionLength</p> </td> <td width="571" valign="top"> <p>?????
????????? ??????</p> </td> </tr> <tr> <td width="127" valign="top">
<p>SelectedText</p> </td> <td width="571" valign="top"> <p>????? ??????,
????????????? ? ?????????? ??????</p> </td> </tr> <tr> <td width="127" valign="top">
<p>TextAlign</p> </td> <td width="571" valign="top"> <p>????? ??????????
?????????????</p> <p>Left - ?? ?????? ??? ?????????? ???</p> <p>Right - ??
????????? ???</p> <p>Center - ?? ??????</p> </td> </tr> <tr> <td width="127"

Автор: ITAuthor

27.02.2009 14:34

valign="top">> <p>Lines</p> </td> <td width="571" valign="top"> <p>????????????? ???
????????????? ?????? ?????????? ??????.</p> </td> </tr> <tr> <td width="127" valign="top">
<p>WordWarp</p> </td> <td width="571" valign="top"> <p>????????????? ?? ??
????????? ?????? ??????, ??????? ?? ?????????? ?? ?????? ?????? ??? (?????? ?
?????????????).</p> </td> </tr> </table> <p> </p> <hr title="RichTextBox"
class="system-pagebreak" /><p>RichTextBox</p> <p>RichTextBox (????
??? ?????????????? ??????) ?????????????? ??? ???????????, ?????, ??????????????
?????? ? ?????? RTF (Rich Text Format, ?????????????? ?????????? ??????). ??????????
????????? ????? ??????????? ???????, ???????, ?????????? ? ?????????????? ?
????????? ?????? ??????.</p> <p>? ?????????? ????? ?????????? ?????????? ?????? ? ??????
?? ?? RTF. ?? ????? ?????????? ????? LoadFile, ??????:</p>
<p>RichTextBox1.LoadFile("?:TempTest.txt",RichTextBoxStreamType.PlainText)</p> <p>???
????????? ?????? ?????????????? ????? SaveFile:</p>
<p>RichTextBox1.SaveFile("?:Test.rtf", RichTextBoxStreamType.RichNoOleObjs)</p> <p>
</p><table border="0" cellspacing="0" cellpadding="0" align="left"> <tr> <td width="443"
height="10">◆</td> </tr> <tr> <td>◆</td> <td width="246" height="42" bgcolor="#dddddd">
 <table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p
align="right">????????? ?????????? / Button</p> </td> </tr> </table> ◆</td> </tr>
</table> ◆
 <p>Button</p> <p>Button (??????) ??????
????????? ?????????? ??????? ??????.</p> <p>????????? ??????</p> <table
border="1" cellspacing="0" cellpadding="0"> <tr> <td width="91" valign="top"> <p
align="center">?????????</p> </td> <td width="607" valign="top"> <p
align="center">?????????</p> </td> </tr> <tr> <td width="91" valign="top">
<p>Text</p> </td> <td width="607" valign="top"> <p>?????, ?????? ?????? ?????? ??
??????</p> </td> </tr> <tr> <td width="91" valign="top"> <p>Image</p> </td> <td
width="607" valign="top"> <p>?????, ?????? ?????? ?????????????? ?? ??????.</p>
</td> </tr> <tr> <td width="91" valign="top"> <p>FlatStyle</p> </td> <td width="607"
valign="top"> <p>????? ??? ??????:</p> <p>Flat - ?????? ??????</p> <p>Popup
- ?????? ?????????? ???????????, ????? ?????? ?????? ?????? ?????? ??? ???, ????? -
??????</p> <p>Standard - ?????? ??????</p> <p>System - ?????? ??? ??????
????????????? ?????????? ??????</p> </td> </tr> <tr> <td width="91" valign="top">
<p>DialogResult</p> </td> <td width="607" valign="top"> <p>????????? ???
????????? ?????????? ?????? ?????????? ???</p> </td> </tr> </table> <p>?????
????????? ? ??? ?????? ?????? ??? ?????? ?????? ?????? ??????, ??????????
????????? ?? ??? ??????.</p> <p>????? ?????????? ? ???? ??? ??????, ?????????????? ??
????????? ??? ?????? ?????? Enter ? Esc. ??? ?????????? ?????? Accept ? Cancel ?
????????????? ? ??? ?????? ?????? ?????? ?????? AcceptButton ? CancelButton.</p> <p> </p>
<p>Panel</p> <p>Panel (??????) ? ?????? ?????????? ??? ??????????.
????? ?????? ?????? ?????? ??? ?????? ?????? BorderStyle.</p> <p> </p>
<p>GroupBox</p> <p>????????? ? ?????? ?????? ?????????? ???
????????? ? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ??????
????? ?????, ?????????? ??? ?????????? ?????? ??????. ?????? ?????? ?????? ?????? ??????
(?????????), ?? ??? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? (?????????).</p>
<p>????????? ??????</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td
width="91" valign="top"> <p align="center">?????????</p> </td> <td width="607"
valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td width="91"

Автор: ITAuthor

27.02.2009 14:34

valign="top">> <p>Text</p> </td> <td width="607" valign="top"> <p>??????????
??????????.</p> </td> </tr> </table> <p> </p> <p>PictureBox</p>
<p>PictureBox (????????) ?????????? ?????????? ?????????? ?????????? ???? ??????.</p>
<p>????????? ??????????</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td
width="91" valign="top"> <p align="center">?????????</p> </td> <td width="607"
valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td width="91"
valign="top"> <p>Image</p> </td> <td width="607" valign="top"> <p>?????????? ???,
????????? ?????? ?????? ?????? ? PictureBox. ?????????????? ?????? BMP, GIF,
JPEG, PNG, ICO, WMF ? EMF.</p> </td> </tr> <tr> <td width="91" valign="top">
<p>SizeMode</p> </td> <td width="607" valign="top"> <p>?????????? ??????:</p>
<p>Normal - ?????? PictureBox ???????. ??? ?????? ??????, ?????????????? ??????
????? ?????? ?????? ???????.</p> <p>StretchImage - ?????? ?????????? ??? ??????????
?????????????.</p> <p>AutoSize - ?????? PictureBox ?????? ? ?????????????? ?
????????? ??????.</p> <p>CenterImage - ?????? PictureBox ???????. ??? ??????
?????, ?? ?????????? ? ??????; ??? ??????, ?????????????? ?????????? ??????????
</p> </td> </tr> </table> <p> </p> <p>CheckBox</p> <p>CheckBox
(?????) ?????????????? ??? ?????????? ?????????? ?? ?????? ?????? True ? False.
????? ?????? ??????????, ??? ?????????? ?????? True, ??? ??? -False. ??????
????????????? ? ?????????? ?????????? ??? ?? ??????.</p> <p>????????? ??????</p>
<table border="1" cellspacing="0" cellpadding="0"> <tr> <td width="104" valign="top"> <p
align="center">?????????</p> </td> <td width="595" valign="top"> <p
align="center">??????????</p> </td> </tr> <tr> <td width="104" valign="top">
<p>Checked</p> </td> <td width="595" valign="top"> <p>????? ??? ??? ??? ?????
??? ???</p> </td> </tr> <tr> <td width="104" valign="top"> <p>Appearance</p> </td>
<td width="595" valign="top"> <p>????? ??? ??????</p> </td> </tr> <tr> <td
width="104" valign="top"> <p>CheckState</p> </td> <td width="595" valign="top">
<p>????????? ??? ?????????? ? ?????????? ?????????? ?????????? ??????. ??????????
?????????:</p> <p>Unchecked - ???;</p> <p>Checked - ??????????;</p>
<p>Indeterminate - ?????????? ?? ??????????</p> </td> </tr> <tr> <td width="104"
valign="top"> <p>ThreeState</p> </td> <td width="595" valign="top"> <p>????? ??
????? ??? ??????????</p> </td> </tr> </table> <p> </p><table border="0"
cellspacing="0" cellpadding="0"> <tr> <td width="354" height="42" bgcolor="#dddddd">
<table border="0" cellspacing="0" cellpadding="0" width="100%> <tr> <td> <p
align="right">????????? ?????????? / RadioButtonsCheckBox</p> </td> </tr>
</table> ♦</td> </tr> </table> ?????? CheckStateChanged ?????????? ?????? ??? ???
????????? ?????????? ?????????? ??????. <p> </p> <p>RadioButton</p>
<p>RadioButton (?????????????) ????????????, ??? ?????????? ?????? ?????? ??
????????? ??????????. ??? ?????????? ?????????? ?????????? ?????? ? ?????? ??????????,
?? ??? ??? ?? ??? ?????? ??? ??????.</p> <p>????????? ??????????????</p> <table
border="1" cellspacing="0" cellpadding="0"> <tr> <td width="104" valign="top"> <p
align="center">?????????</p> </td> <td width="595" valign="top"> <p
align="center">??????????</p> </td> </tr> <tr> <td width="104" valign="top">
<p>Checked</p> </td> <td width="595" valign="top"> <p>????? ?? ??????
?????????????. True ♦??????♦.</p> </td> </tr> <tr> <td width="104" valign="top">
<p>Appearance</p> </td> <td width="595" valign="top"> <p>????? ???
?????????????</p> </td> </tr> </table> <p>????? CheckedChanged ?????????? ???

Автор: ITAuthor
27.02.2009 14:34

?????????? ?????????? ??????????????.</p> <p> </p> <p> </p><table border="0" cellspacing="0" cellpadding="0"> <tr> <td width="270" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p align="right">????????? ?????????? / ListBox</p> </td> </tr> </table> ♦</td> </tr> </table><hr title="ListBox" class="system-pagebreak" /> ListBox <p>ListBox (?????) ???????????? ??? ?????????? ??????.</p> <p>????????? ???????</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td width="127" valign="top"> <p align="center">????????</p> </td> <td width="571" valign="top"> <p align="center">?????????????</p> </td> </tr> <tr> <td width="127" valign="top"> <p>Items</p> </td> <td width="571" valign="top"> <p>????????? ?????????? ? ?????????? ?????????? ?????? ?????? ?????????????? , ?????????? ??????. ?????? Items ?????? ?????????? ?????? ? ?????? ?????????????? , ??? ?????????? ??????.</p> <p>????????? ??????:</p> <p>ListBox1.Items.Add("??? ?????? ?????? ?????? ?????? ?????? ??????")</p> <p>????????? ?????? ? ?????????? ?????? ?????? ?????? ??????:</p> <p>ListBox1.Items.Insert(1, "????? ?????? ? ?????? ?????? ??????")</p> <p>????????? ?????????? ?????? ?? ??????:</p> <p>ListBox1.Items.Remove("??? ?????? ?????? ?????? ?????? ??????")</p> <p>????????? ?????????? ?????? ?? ??????:</p> <p>ListBox1.Items.RemoveAt(0)</p> <p>????? ?????? ?????????? ??????:</p> <p>ListBox1.Items.Clear</p> </td> </tr> <td width="127" valign="top"> <p>SelectionMode</p> </td> <td width="571" valign="top"> <p>????????? ?????????? ?????? ?????? ?????????? ?????????? ?????? ?????? None - ?? ??????</p> <p>One - ???</p> <p>MultiSimple - ?????????, ? ?????? ?????? ??? ?????? ?????? ??????</p> <p>MultiExtended - ?????????, ? ?????? ???, ?????? Ctrl ? Shift.</p> </td> </tr> <tr> <td width="127" valign="top"> <p>Sorted</p> </td> <td width="571" valign="top"> <p>????????? ?????????? ? ?????????? ??????, ??? ????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? -1.</p> <p>intMyInteger = ListBox1.SelectedIndex</p> <p>????? SelectedIndices ?????????? ?????????? ?????????? ?????????? ?????????? ?????? ?????? SelectedItems ?????????? ?????? ?????????? ?????? ?????? .</p> <p> </p> <p>CheckedListBox</p> <p>CheckedListBox ?????????? ?????????? ?????? ?????????? ?????? ?????????? , ?????? ?????? ?????? ?????? ?????? ?????? ?????? .</p> <p>????????? CheckedListBox</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td width="91" valign="top"> <p align="center">?????????</p> </td> <td width="607" valign="top"> <p align="center">?????????</p> </td> </tr> <tr> <td width="91" valign="top"> <p>CheckOnClick</p> </td> <td width="607" valign="top"> <p>True - ??????, ?????????????? ?????? , ?????? ?????????? ?????? ?? ?????? ?? ?????? ?? ?????? False - ?????? ?????? ?????? ?????? ?????? , ?????? , ?????? ?????? ?????? ?????? ?????? .</p> </td> </tr> <tr> <td width="91" valign="top"> <p>ThreeDCheckBoxes</p> </td> <td width="607" valign="top"> <p>True, ?????? ?????????? ?????? ?????? .</p> </td> </tr> <tr> <td width="91" valign="top"> <p>CheckedIndicies</p> </td> <td width="607" valign="top"> <p>????????? ?????????? ?????? ?????? ?????? ?????? .</p> </td> </tr> <tr> <td width="91" valign="top"> <p>CheckedItems</p> </td> <td width="607" valign="top"> <p>????????? ?????????? ?????? ?????? ?????? ?????? .</p> </td> </tr> </table>

Автор: ITAuthor

27.02.2009 14:34

<p>ComboBox</p> <p>ComboBox (????????????????? ??????)
????????????? ???? ??????????? ?????????? TextBox ? ListBox.</p> <p>?????????
????????????? ??????</p> <table border="1" cellspacing="0" cellpadding="0"> <tr> <td
width="168" valign="top"> <p align="center">?????????</p> </td> <td width="530"
valign="top"> <p align="center">??????????</p> </td> </tr> <tr> <td width="168"
valign="top"> <p>Text</p> </td> <td width="530" valign="top"> <p>?????, ?????
????? ?????????? ? ???</p> </td> </tr> <tr> <td width="168" valign="top">
<p>DropDownStyle</p> </td> <td width="530" valign="top"> <p>?????? ??? ?
????????? ??? ?? ??????:</p> <p>Simple - ?????? ??? ?? ??????. ?? ???
????????? ?????? ??? ??????.</p> <p>DropDown - ??? ? ??????????????
???????. ?? ????? ?????????? ?????? ??? ?? ??????. </p> <p>DropDownList
- ?????????????? ??????. ?????????? ??? ?????????? ??? ??????????????</p> </td>
</tr> <tr> <td width="168" valign="top"> <p>MaxDropDownItems</p> </td> <td
width="530" valign="top"> <p>????? (? ???????) ?????????????? ??????</p> </td>
</tr> </table> <p> <table border="0" cellspacing="0" cellpadding="0"> <tr> <td
width="270" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0"
cellpadding="0" width="100%"> <tr> <td> <p align="right">????????? ?????????? /
ScrollBars</p> </td> </tr> </table> ♦</td> </tr> </table> <p>HScrollBar ?
VScrollBar</p> <p>HScrollBar ? VScrollBar (????????????? ? ??????????????
????? ??????)</p> <p>????????? ??? ??????????</p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td width="117" valign="top"> <p>?????????</p>
</td> <td width="581" valign="top"> <p>??????????</p> </td> </tr> <tr> <td
width="117" valign="top"> <p>Minimum</p> </td> <td width="581" valign="top">
<p>?????? ???? (?????? ??????) ?????????? ???????</p> </td> </tr> <tr> <td
width="117" valign="top"> <p>Maximum</p> </td> <td width="581" valign="top">
<p>?????? ???? (?????? ??????) ?????????? ???????</p> </td> </tr> <tr> <td
width="117" valign="top"> <p>Value</p> </td> <td width="581" valign="top"> <p>??????
????????? ???????</p> </td> </tr> <tr> <td width="117" valign="top">
<p>SmallChange</p> </td> <td width="581" valign="top"> <p>?? ?????? ??????
????????? ??????? ??? ?????? ?? ?????? ??????</p> </td> </tr> <tr> <td width="117"
valign="top"> <p>LargeChange</p> </td> <td width="581" valign="top"> <p>?? ??????
????? ?????????? ??????? ?? ?????? ??????</p> </td> </tr> </table>
<p>???????? Scroll ?????????? ? ?????, ????? ?????? ?????? ?????? ??????????.</p> <p>
</p> <p>DateTimePicker</p> <p>DateTimePicker ?????????????? ???
????? ??? ??? ??????.</p> <p>?????????</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="91" valign="top"> <p>?????????</p> </td> <td
width="607" valign="top"> <p>??????????</p> </td> </tr> <tr> <td width="91"
valign="top"> <p>MaxDate</p> </td> <td width="607" valign="top"> <p>?????????????
????, ? ?????? ?????? ?????? ??????. ?? ??????? 31.12.9998. (MinDate -
????????? ????. 01.01.1753)</p> </td> </tr> <tr> <td width="91" valign="top">
<p>Value</p> </td> <td width="607" valign="top"> <p>????????? ??? ??? ??????
Month - ???; Day - ???; Year - ???; DayOfWeek - ?????????? ??? ??????; Hour - ???;
Minute - ???; Second - ???; Millisecond - ???????????.</p> <p>????????? ????: str =
DateTimePicker1.Value = New DateTime(2003, 04, 15)</p> <p>????????? ????: str =
DateTimePicker1.Value.Hour.ToString</p> </td> </tr> </table> <p> </p>
<p>MonthCalendar</p> <p>MonthCalendar ?????????? ??????????

Автор: ITAuthor

27.02.2009 14:34

DateTimePicker, ?? ?????????????? ??? ??????? ?????? ??? ? ?????????? ?????? ?????? ?????? ?????? ?????? ?????? ?????? ???.

<p> </p> <p> </p> <p> </p><table border="0" cellspacing="0" cellpadding="0">

<tr> <td width="270" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0" cellpadding="0" width="100%">

<tr> <td> <p align="right">????????? ?????????? /

TrackBar</p> </td> </tr> </table> ♦</td> </tr> </table> TrackBar

<p>TrackBar (????????) ?????? ??? ?????????? ??????-??? ?????????? ??????????.

<p>????????? ?????????</p> <table border="1" cellspacing="0" cellpadding="0">

<tr> <td width="127" valign="top"> <p>?????????</p> </td> <td width="571" valign="top">

<p>Minimum</p> </td> <td width="571" valign="top"> <p>????????? Maximum -

?????????????</p> </td> </tr> <tr> <td width="127" valign="top"> <p>SmallChange</p>

</td> <td width="571" valign="top"> <p>????????? ???, ? ?????????? ????</p>

????????? ??????.</p> </td> </tr> <tr> <td width="127" valign="top"> <p>Value</p>

</td> <td width="571" valign="top"> <p>????????? ?????????? ??????.</p> </td> </tr>

<tr> <td width="127" valign="top"> <p>AutoSize</p> </td> <td width="571" valign="top">

<p>????? ?? ?????? ?????????? ?????????? ? ?????????????? ?? ?????????? ?????????? ??

???.</p> </td> </tr> <tr> <td width="127" valign="top"> <p>Orientation</p> </td> <td width="571" valign="top">

<p>Horizontal / Vertical.</p> </td> </tr> <tr> <td width="127" valign="top">

<p>TickFrequency</p> </td> <td width="571" valign="top"> <p>?????????

????????? ?? ??????????</p> </td> </tr> <tr> <td width="127" valign="top">

<p>TickStyle</p> </td> <td width="571" valign="top"> <p>????????? ??? ??????????

?????????:</p> <p>None - ??????? ?? ??????????????</p> <p>TopLeft - ???????

????????????? ?????? ??? ??????</p> <p>Both - ??????? ?????????????? ?? ??? ??????????

? ??????????</p> </td> </tr> </table> <p> </p><table border="0" cellspacing="0" cellpadding="0">

<tr> <td width="270" height="42" bgcolor="#dddddd"> <table border="0" cellspacing="0" cellpadding="0">

<tr> <td width="100%"> <tr> <td> <p align="right">????????? /

ProgressBar</p> </td> </tr> </table> ♦</td> </tr> </table>

<p>ProgressBar</p> <p>ProgressBar (????????? ??????????)

????????????? ??? ?????????????? ?????????? ?????????? ??????-??? ?????? ??????.

????????? ?????????????? ??????????</p> <table border="1" cellspacing="0" cellpadding="0">

<tr> <td width="92" valign="top"> <p>?????????</p> </td> <td width="606" valign="top">

<p>?????????</p> </td> </tr> <tr> <td width="92" valign="top"> <p>Minimum</p>

</td> <td width="606" valign="top"> <p>????????? Maximum -

?????????????).</p> </td> </tr> <tr> <td width="92" valign="top"> <p>Step</p> </td>

<td width="606" valign="top"> <p>???, ? ?????? ?????????? ??????????.</p> </td> </tr>

<tr> <td width="92" valign="top"> <p>Value</p> </td> <td width="606" valign="top">

<p>????????? ???????.</p> </td> </tr> </table> <p> </p><table border="0" cellspacing="0" cellpadding="0">

<tr> <td width="234" height="42" bgcolor="#dddddd">

<table border="0" cellspacing="0" cellpadding="0" width="100%"> <tr> <td> <p align="right">????????? /

Timer</p> </td> </tr> </table> ♦</td> </tr>

</table> <p>Timer</p> <p>Timer (?????) ? ?????????????? ?????????? -

?? ?????? ?? ?????? ?????????? ??????????, ?????????????? ? ?????? ?????? ??? ??????????

????. ?????? ???, ?????? ?????????? ??????, ?????????? ?????? Tick. ????????

?????????</p> <table border="1" cellspacing="0" cellpadding="0">

<tr> <td width="92" valign="top"> <p>?????????</p> </td> <td width="606" valign="top">

<p>?????????</p> </td> </tr> <tr> <td width="92" valign="top"> <p>Name</p> </td>

Автор: ITAuthor

27.02.2009 14:34

```
<td width="606" valign="top"> <p>??? ??????.</p> </td> <tr> <td width="92"
valign="top"> <p>Enabled</p> </td> <td width="606" valign="top"> <p>????????? ???
?????? ?????????? (True) ??? ?????????? (False).</p> </td> </tr> <tr> <td width="92"
valign="top"> <p>Interval</p> </td> <td width="606" valign="top"> <p>????? ?
?????????????, ??? ?????????? ?????????????? ??????? Tick.</p> </td> </tr> </table>
<p> </p> <p><strong>TabControl</strong></p> <p>TabControl (????? ? ??????????).
????????? ??? ? ??????????</p> <table border="1" cellspacing="0" cellpadding="0"> <tr>
<td width="120" valign="top"> <p>?????????</p> </td> <td width="578" valign="top">
<p>????????????</p> </td> </tr> <tr> <td width="120" valign="top"> <p>TabPages</p>
</td> <td width="578" valign="top"> <p>????????????? ??? ?????????? ?????????? ????
?????? ?????????? ??? TabPage Collection Editor, ??? ?????????? ?????????? ? ??
?????????.</p> </td> </tr> <tr> <td width="120" valign="top"> <p>SelectedIndex</p>
</td> <td width="578" valign="top"> <p>????? ?????? ?????????? ??????????. ?? 0 ???
◆????????? ?????? - 1◆.</p> </td> </tr> </table> <p>????? SelectedIndexChanged
????????? ? ?????? ?????????? ?? ?????? ??????.</p> <p> </p>
<p><strong>??ITip</strong></p> <p>??ITip (????????? ??????????) ?????????? ????
????????? ??? ? ?????? ?????????? ??????????. ?????????? ?????????? ???????????.</p>
<p>????????? ?????????? ??????????</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="125" valign="top"> <p>?????????</p> </td> <td
width="573" valign="top"> <p>?????????</p> </td> </tr> <tr> <td width="125"
valign="top"> <p>AutoPopDelay</p> </td> <td width="573" valign="top"> <p>??????
???????, ? ?????? ?????? ?????? ?????????????? ??????????.</p> </td> </tr> <tr> <td
width="125" valign="top"> <p>InitialDelay</p> </td> <td width="573" valign="top">
<p>??????, ?????, ?????? ?????? ?????????? ??????????</p> </td> </tr> </table>
<p> </p> <hr title="ImageList" class="system-pagebreak"
/><p><strong>ImageList</strong></p> <p>ImageList ?????????????? ??????? ??????????.
????????? ?????? ?????? ? ?????????????? ?? ?????? ?????????? ?????????? (ListView,
TreeView,ToolBar).</p> <p>????????? ImageList</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="103" valign="top"> <p>?????????</p> </td> <td
width="595" valign="top"> <p>?????????</p> </td> </tr> <tr> <td width="103"
valign="top"> <p>Images</p> </td> <td width="595" valign="top"> <p>???
????????? ?????? ?????? ??? Image Collection Editor.</p> </td> </tr> <tr> <td width="103"
valign="top"> <p>ImageSize</p> </td> <td width="595" valign="top"> <p>?????????,
????? ?????? ? ?????? ?????? ?????? ? ???????.</p> </td> </tr> </table>
<p>????????? ?????? ?????? ?????????? ?????????? ??????:</p> <p>' ?????????? ??????
?????????, ??? ?????? ?????? ?? ??????</p> <p><strong>Dim</strong> MyPicture
<strong>As</strong> System.Drawing.Image</p> <p>' ??????? ?????? ?? ?????? ?
?????????</p> <p>MyPicture = Image.FromFile("?:Tempsun.bmp")</p> <p>' ??????????
?????? ? ?????????? ? ?????????? ImageList1</p>
<p>ImageList1.Images.Add(MyPicture)</p> <p>????????? ??????? ??????:
ImageList1.Images.Remove(0)</p> <p>????????? ??? ??????????:
ImageList1.Images.Clear</p> <p> </p> <p><strong>ListView</strong></p> <p>ListView
????? ?????????? ??? ?????? ?????? ???????, ??????, ?????? ?????????? ? ?. ??
????????? ?????? ? ??????????????.</p> <p>????????? ListView</p> <table border="1"
cellspacing="0" cellpadding="0"> <tr> <td width="103" valign="top"> <p>?????????</p>
</td> <td width="595" valign="top"> <p>?????????</p> </td> </tr> <tr> <td>
```

Автор: ITAuthor

27.02.2009 14:34

width="103" valign="top">> <p>View</p> </td> <td width="595" valign="top"> <p>?????
?????????: LargeIcons, Details, SmallIcons, List.</p> </td> </tr> <tr> <td width="103"
valign="top"> <p>Items</p> </td> <td width="595" valign="top"> <p>?????????
????????? ??? ?????? ??? ListViewItem Collection Editor</p> </td> </tr> <tr> <td
width="103" valign="top"> <p>MultiSelect</p> </td> <td width="595" valign="top">
<p>????? ?? ??????? ?????????? ??????????. True - ??.</p> </td> </tr> </table>
<p>????????? ?????????? ? ListView</p> <p>ListView1.Items.Add("????? ??????", 0)</p>
<p>????????? SelectedItems ?????????? ?????????? ?????????? ?????? ??????.</p>
<p>If ListView1.SelectedItems.Count > 0 Then</p> <p>' ?????????? ?????????? ??????</p>
<p>End If</p> <p>??? ?????????? ? ?????????? ??????: ListView.SelectedItems(n)</p>
<p>????????? ??????: ListView1.Items.Remove(ListView1.SelectedItems(n))</p>
<p>????????? ??? ?????????? ??????: ListView1.Items.Clear()</p> <p> </p>
<p>TreeView</p> <p>TreeView ?????????? ??? ??????????
????? ? ??? ??????. </p> <p>????????? TreeView</p> <table border="1" cellspacing="0"
cellpadding="0"> <tr> <td width="91" valign="top"> <p>??????</p> </td> <td
width="607" valign="top"> <p>?????????</p> </td> </tr> <tr> <td width="91"
valign="top"> <p>ImageList</p> </td> <td width="607" valign="top"> <p>?????
???????, ?????????? ? ??????.</p> </td> </tr> <tr> <td width="91" valign="top">
<p>Nodes</p> </td> <td width="607" valign="top"> <p>????????? ?????????? ??????
?? ?????? ??? TreeNode Editor</p> </td> </tr> <tr> <td width="91" valign="top">
<p>SelectedNode</p> </td> <td width="607" valign="top"> <p>????????? ?? ??????
</td> </tr> </table> <p>????????? ??????:</p>
<p>TreeView1.Nodes.Add("?????")</p> <p>????????? ?????????????? ??????:</p>
<p>' ?????????? ?????? MyNode - ?????? ??????</p> <p>Dim MyNode As
TreeNode</p> <p>' ?????????? ?????? ??????</p> <p>MyNode =
TreeView1.Nodes.Add("?????")</p> <p>' ?????????? ?????????????? ??????</p>
<p>MyNode.Nodes.Add("?????????")♦ </p> <p> </p> <p> </p> <p> </p> <p>?????
????????? ?????????????????? ?????????????? ?????? ?????????? ??????????????
????????? ?????? TabIndex ? TabStop. TabIndex ?????????? ?????????? ??????
????????? ? ?????? ??????. TabStop ??????????, ?????? ?? ?????? ?????? ?????? ??????
????? ??????. </p> <p>????????? ?????????? ?????? ?????????? ??? ?????? ?????? ??????
Text ?????????? ??????????. ??? ? ?????????? Text ?????????? ?????????? &<?????>, ??
????????? ?1t+<?????> ?????????? ?????????????? ?????? ??????. ??????, ??????????
?? ??????????, ??????????????. ??? ?????????? ?????????????? ?????? ?????? ??????????
?????, ??? ?????? ?????? ??????. </p> <p>??? ?????????? ?????????? ?????? ??????
????????? ?????????? ?????????? ?????????? Anchor ? Dock.</p> <p>????????? Anchor
????????? ?????? ? ?????? ??? ?????????? ?????? ?????? ??????. ?????????? ??????
????????? ? ?????? ?????? ?????? ?????????? ??? ?????? ?????????? ?????????? ??????????
?????, ?????????? ? ?????????? ?????? ?????????? ?????? ??????????, ??????????????
????????????? ? ?????????? ?????? ?????????? ??????????. ?????? ?????? ?????????? ??
????? ? ?????? ??????:</p> <p>Me.Button1.Anchor =
(System.Windows.Forms.AnchorStyles.Left Or
System.Windows.Forms.AnchorStyles.Right)</p> <p>????????? Dock ?????????? ??????????
Align. ??????, ?????????????? ? ??? ?????, ?????? ?????? ?????????? ? ??? ?????? ???
????? ?????????? ?????????? ??????. ??? ?????????? Fill ?????????? Dock ??????
????????????? ?? ??? ?????? ?????? ??????????.</p> <p align="center"> </p>